

Certificate of analysis

 $\begin{array}{ll} \textbf{Product Name/Description:} & \quad \text{Taq I (TthHB8 I)} \end{array}$

Cat. #: 1189A

Lot #: Specified on product label

Storage Conditions: -20 degrees C

Expiration Date: Specified on product label or package

Package Size: 2000 U

Package Contents: 1. Taq I 10 $U/\mu l$ 2000 U

 2. 10X Taq I Buffer
 1 ml

 3. 0.1% BSA
 1 ml

 4. 10X Loading Buffer
 1 ml

Source: Escherichia coli carrying the plasmid encoding Taq I gene

Quality Control Data:

Overdigestion test:

Nonspecific nuclease activity was not detected after incubating 1 μg of λDNA with 20 units of this enzyme

in 50 µl of the supplied buffer overnight at 65°C, as assessed by agarose gel electrophoresis.

Ligation-Recutting test:

After 10-fold overdigestion with this enzyme, the DNA fragments could be ligated with T4 DNA ligase and recut

with this enzyme.

Ligation: >90%, Recutting: >90%

Labeled oligonucleotide assay (LOA) test:

The degradation rate of oligonucleotides was less than 10% during incubation with 6 U of this enzyme for 1 hour

in 10 µl of the supplied buffer.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.



|--|

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office: www.takara-bio.co.jp (Japanese) www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2018 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.