

Certificate of analysis

Product Name/Description: DL5,000 DNA Marker
Cat. #: 3428A
Lot #: Specified on product label
Storage Conditions: -20 degrees C
Expiration Date: Specified on product label or package

Package Size: 500 µl

Package Contents: 1. DL5,000 DNA Marker 100 lanes 500 µl

Note: Once thawed, this product should be stored at 4°C.
Avoid freeze-thaw cycles.

Quality Control Data:

This marker consisted of 9 fragments between 100 bp and 5,000 bp.
Significant differences of size and intensity of the fragments were not observed by agarose gel electrophoresis comparing with previous lot.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.

Notice To Purchaser:

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office:
www.takara-bio.co.jp (Japanese)
www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.