

pEF1 α -HA Vector

Table of Contents

Product Information	1
Description	2
Location of Features	2
Additional Information	3
Quality Control Data	3

Catalog No.	Amount	Lot Number
631992	10 μ g	Specified on product label.

Product Information

pEF1 α -HA is a mammalian expression vector that constitutively expresses a protein of interest fused to an N-terminal hemagglutinin (HA) epitope tag, even after stable integration of the vector into the host cell genome. Stable, constitutive expression of the tagged protein is driven by the human elongation factor 1 alpha (EF1 α) promoter, which allows the fusion to be expressed without the transgene silencing associated with CMV promoters.

Package Contents

- 1 tube of pEF1 α -HA Vector (20 μ l/tube)

Storage Conditions

- Store plasmid at -20°C .
- Spin briefly to recover contents.
- Avoid repeated freeze/thaw cycles.

Shelf Life

- 1 year from date of receipt under proper storage conditions.

Storage Buffer

- 10 mM Tris-HCl (pH 8.0), 1 mM EDTA (pH 8.0)

Concentration

- 500 ng/ μ l

Shipping Conditions

- Dry ice (-70°C)

Clontech Laboratories, Inc.

A Takara Bio Company
1290 Terra Bella Avenue, Mountain View, CA 94043, USA
U.S. Technical Support: tech@clontech.com

United States/Canada	Asia Pacific	Europe	Japan
800.662.2566	+1.650.919.7300	+33.(0)1.3904.6880	+81.(0)77.543.6116
(PA124350)			




Figure 1. pEF1 α -HA vector map.




Figure 2. pEF1 α -HA multiple cloning site (MCS).

¹ This site is compatible with Matchmaker™ System 3 AD and BD Vectors.

² These sites are compatible with Matchmaker System 3 BD Vectors.

Description

pEF1 α -HA is designed to constitutively express a protein of interest N-terminally fused to a HA epitope tag. The HA epitope tag is well-characterized and highly immunoreactive. In mammalian cells, high-level expression of the tagged protein is driven by the EF1 α promoter ($P_{EF1\alpha}$), which remains constitutively active even after stable integration of the vector into the host cell genome (1). The vector also contains a pUC origin of replication and an ampicillin resistance gene for propagation and selection in *E. coli*.

Location of Features

- $P_{EF1\alpha}$ (human elongation factor 1 alpha promoter): 26–1360
- HA epitope tag: 1660–1689
- MCS (multiple cloning site): 1694–1748
- pUC origin of replication: 2367–3010 (complementary)
- Amp^r (ampicillin resistance gene; β -lactamase): 3158–4154

Additional Information

To create a HA-tagged protein, clone the gene of interest into the MCS in-frame with the HA coding sequence. The resulting fusion can be identified with antibody raised against the HA tag. The HA tag is also useful for facilitating purification of the protein, identifying associated proteins, characterizing new proteins by immunoprecipitation, and determining subcellular localization.

pEF1 α -HA can be used for downstream cloning from Matchmaker Two-Hybrid System Vectors. For complete details, consult the information packed provided for your particular Matchmaker vector. Note: pEF1 α -HA contains BglII and XhoI sites that are **not** unique; therefore, they should not be used for cloning purposes.

Propagation in *E. coli*

- Suitable host strains: DH5 α , HB101 and other general purpose strains.
- Selectable marker: plasmid confers resistance to ampicillin (100 μ g/ml) in *E. coli* hosts.
- *E. coli* replication origin: pUC
- Copy number: high

References

1. Wang, R. *et al.* (2008) *Stem Cells Dev.* **17**(2):279–289.

Quality Control Data

Plasmid Identity & Purity

- Digestion with the indicated restriction enzymes produced fragments of the indicated sizes on a 0.8% agarose/EtBr gel:

Enzyme(s)	Fragment(s)
NotI	4.6 kb
ApaI	0.9 & 3.8 kb

- Vector identity was confirmed by sequencing.
- A₂₆₀/A₂₈₀: 1.8–2.0

pEF1alpha-HA Vector

CATALOG NO.

631992

NOTICE TO PURCHASER:

Clontech products are to be used for research purposes only. They may not be used for any other purpose, including, but not limited to, use in drugs, in vitro diagnostic purposes, therapeutics, or in humans. Clontech products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without prior written approval of Clontech Laboratories, Inc.

Your use of this product is also subject to compliance with the licensing requirements listed below and described on the product's web page at <http://www.clontech.com>. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

Clontech and the Clontech logo are trademarks of Clontech Laboratories, Inc.

All other marks are the property of their respective owners. Certain trademarks may not be registered in all jurisdictions. Clontech is a Takara Bio Company. ©2014 Clontech Laboratories, Inc. This document has been reviewed and approved by the Clontech Quality Assurance Department.

Clontech Laboratories, Inc.

A Takara Bio Company
1290 Terra Bella Avenue, Mountain View, CA 94043, USA
U.S. Technical Support: tech@clontech.com

4/3/2014

United States/Canada	Asia Pacific	Europe	Japan
800.662.2566	+1.650.919.7300	+33.(0)1.3904.6880	+81.(0)77.543.6116