

DmrA Monoclonal Antibody

Catalog No.	Amount	Lot Number
635089	100 µg	Specified on product label.

Description

The DmrA Monoclonal Antibody recognizes DmrA-tagged fusion proteins expressed using any iDimerize™ Inducible Heterodimer System. The isotype of this mouse monoclonal antibody is IgG1 Kappa.

Recommended Applications & Suggested Dilution

- This antibody is recommended for Western blot analysis.
- For Western blot analysis, we suggest using the antibody at a 1:1,000 dilution.

Package Contents

- 100 µg DmrA Monoclonal Antibody

Form

- 20% Glycerol, 0.03% ProClin 300 in PBS, pH 7.2

Concentration

- 0.5 µg/µl

Storage Conditions

- Avoid repeated freeze/thaw cycles.
- Store at -20°C

Shelf Life

- 1 year from date of receipt under proper storage conditions.

Shipping Conditions

- Dry ice (-70°C)

Product Documents

Documents for Clontech® products are available for download at www.clontech.com/manuals

The following documents apply to this product:

- Antibodies Protocol Guide
- Lenti-X iDimerize Inducible Heterodimer System User Manual
- iDimerize Inducible Heterodimer System User Manual
- iDimerize Regulated Transcription System User Manual

Clontech Laboratories, Inc.

A Takara Bio Company
1290 Terra Bella Avenue, Mountain View, CA 94043, USA
U.S. Technical Support: tech@clontech.com

United States/Canada 800.662.2566 (121412)	Asia Pacific +1.650.919.7300	Europe +33.(0)1.3904.6880	Japan +81.(0)77.543.6116
--------------------------------------------------	---------------------------------	------------------------------	-----------------------------

Quality Control Data

The quality and performance of this lot of DmrA Monoclonal Antibody was tested by Western blot analysis. Lysate (10 μ l; equivalent to 100,000 cells) from untransfected HEK 293 cells and lysates (10 μ l; equivalent to 100,000 cells) from HEK 293 cells transiently transfected with a CMV driven expression vector encoding AcGFP1-DmrA-DmrA were resolved on a 12% SDS polyacrylamide gel and then transferred to a nitrocellulose membrane. The membrane was probed with DmrA Monoclonal Antibody (diluted 1:1,000), followed by secondary goat anti-mouse antibody conjugated to horseradish peroxidase. The HRP signal was detected by chemiluminescence. A major band or band-doublet of approximately 50 kDa was observed in the lanes loaded with lysates from cells expressing AcGFP1-DmrA-DmrA. No band in this molecular weight range was detected for the lysates of the untransfected HEK 293 cells. A 12 kDa band (representing endogenous FKBP) may appear at longer exposure times.

DmrA Monoclonal Antibody

CATALOG NO.

635089

NOTICE TO PURCHASER:

Clontech® products are to be used for research purposes only. They may not be used for any other purpose, including, but not limited to, use in drugs, in vitro diagnostic purposes, therapeutics, or in humans. Clontech products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without prior written approval of Clontech Laboratories, Inc.

Your use of this product is also subject to compliance with the licensing requirements listed below and described on the product's web page at <http://www.clontech.com>. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

Clontech, the Clontech logo, and iDimerize are trademarks of Clontech Laboratories, Inc.

All other marks are the property of their respective owners. Certain trademarks may not be registered in all jurisdictions. Clontech is a Takara Bio Company. ©2012 Clontech Laboratories, Inc. This document has been reviewed and approved by the Clontech Quality Assurance Department.

Clontech Laboratories, Inc.

A Takara Bio Company

1290 Terra Bella Avenue, Mountain View, CA 94043, USA

U.S. Technical Support: tech@clontech.com

11/12/2012

United States/Canada

Asia Pacific

Europe

Japan

800.662.2566

+1.650.919.7300

+33.(0)1.3904.6880

+81.(0)77.543.6116