

TALON® Metal Affinity Resin

Catalog Nos.	Amount	Lot Number
635501	10 ml	Specified on product label.
635502	25 ml	Specified on product label.
635503	100 ml	Specified on product label.
635504	250 ml	Specified on product label.

Description

Immobilized metal affinity chromatography resin for the purification of recombinant polyhistidine-tagged proteins under native or denaturing conditions.

Package Contents

<u>635501</u>	<u>635502</u>	<u>635503</u>	<u>635504</u>	
10 ml	25 ml	100 ml	250 ml	TALON Metal Affinity Resin

Storage Conditions

Store at 4°C.

Expiration Date

• Specified on product label.

Storage Buffer

Nonbuffered 20% ethanol

Shipping Conditions

Room temperature

Product Documents

Documents for our products are available for download at <u>takarabio.com/manuals</u> The following documents apply to this product:

TALON Metal Affinity Resins User Manual

Quality Control Data

Metal loading analysis

Each lot of TALON Metal Affinity Resin is guaranteed to have a divalent metal loading of \geq 12 μ mol/ml of bed volume. The amount of bound metal is determined by atomic spectroscopy.

Functional test

The TALON Metal Affinity Resin was functionally tested using polyhistidine-tagged GFPuv and the HisTALONTM Buffer Set (Takara Bio, Cat. No. 635651). 1 ml of TALON Metal Affinity Resin was saturated with a bacterial polyhistidine-tagged GFPuv lysate in HisTALON Equilibration Buffer (pH 7.4). The resin was then washed four times

Takara Bio USA, Inc.

2560 Orchard Parkway, San Jose, CA 95131, USA U.S. Technical Support: technical-support@takarabio.com

Certificate of Analysis

Cat. Nos. 635501, 635502, 635503 & 635504

TALON Metal Affinity Resin

with 5 ml of HisTALON Equilibration Buffer (pH 7.4). Bound protein was eluted by washing three times with 1 ml of HisTALON Elution Buffer (pH 7.2). A sample of each eluant was analyzed by electrophoresis on a 12% SDS polyacrylamide gel to verify the purity of the eluted protein. The polyhistidine-tagged protein was 99% of the eluted material.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department.

(031023) Page 2 of 2



TALON® Metal Affinity Resin

CATALOG NOS.

635501, 635502, 635503 & 635504

NOTICE TO PURCHASER:

Our products are to be used for Research Use Only. They may not be used for any other purpose, including, but not limited to, use in humans, therapeutic or diagnostic use, or commercial use of any kind. Our products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without our prior written approval.

Your use of this product is also subject to compliance with the licensing requirements, listed below if applicable, and described on the product's web page at http://www.takarabio.com. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

©2023 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.

Takara Bio USA, Inc.

2560 Orchard Parkway, San Jose, CA 95131, USA U.S. Technical Support: technical_support@takarabio.com

United States/Canada Asia Pacific **Europe** Japan 800.662.2566

3/10/2023