

Human MTC™ Panel II

Catalog No.
636743

Amount
10 rxns

Lot Number
1912278A

Description

Panel of normalized, first strand cDNA preparations from RNA from the tissues/cells listed on the back of this page. The cDNAs included in the MTC Panels can be used as templates for PCR using gene-specific primers to study tissue expression patterns. Each cDNA preparation is sufficient for 10 PCR amplifications. G3PDH PCR Primers and Control cDNA are included for 10 positive control reactions.

Package Contents

- 50 µl First-strand cDNA from each of the tissues/cells specified on the back of this page.
- 50 µl Human Control cDNA
- 40 µl G3PDH Control 5' & 3' PCR Primers (10 µM each)

Storage Conditions

- Store at -20°C

Shelf Life

- 1 year from date of receipt under proper storage conditions.

RNA Type

- Poly A+ RNA

RNA Source

- The age and sex of tissue/cell donors are specified on the back of this page. All tissue sources, as far as can be determined, are free from disease.

Number of Samples

- 8

Concentration

- ~1.0 ng/µl

Normalization

The following genes were used to normalize the concentration of the cDNA samples:

- phospholipase A2
- G3PDH
- beta-actin
- alpha-tubulin

Takara Bio USA, Inc.

1290 Terra Bella Avenue, Mountain View, CA 94043, USA
U.S. Technical Support: techUS@takarabio.com

United States/Canada
800.662.2566
(101717)

Asia Pacific
+1.650.919.7300

Europe
+33.(0)1.3904.6880

Japan
+81.(0)77.565.6999

Certificate of Analysis

Cat. No. 636743

Human MTC Panel II

Shipping Conditions

- Dry ice (-70°C)

Product Documents

Documents for our products are available for download at takarabio.com/manuals

The following documents apply to this product:

- cDNA Panels User Manual

Quality Control Data

5 µl of each cDNA preparation, including the Control DNA, was tested in a separate 50-µl PCR amplification using the G3PDH Control Primers. After 22 cycles, a 5-µl sample of each PCR product was run on a 1.2% agarose/EtBr gel. Each reaction produced a single band of the expected size (983 bp).

Tissue or Cell Line Sources

Tissue/Cell Line	Source
Colon with mucosal lining	Pooled from 5 male/females Caucasians, ages: 27-61
Leukocyte, peripheral blood	Pooled from 550 male/female Caucasians, ages: 18-40
Ovary	Pooled from 15 Caucasians, ages: 20-60
Prostate	Pooled from 98 Caucasians, ages: 15-70
Small intestine without mucosal lining	Pooled from 32 male/female Caucasians, ages: 15-57
Spleen	Pooled from 15 male/female Caucasians, ages: 22-69
Testis	Pooled from 45 Caucasians, ages: 14-64
Thymus	Pooled from 9 male/female Caucasians, ages: 20-40

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department.

Human MTC™ Panel II

CATALOG NO.

636743

NOTICE TO PURCHASER:

Our products are to be used for **Research Use Only**. They may not be used for any other purpose, including, but not limited to, use in humans, therapeutic or diagnostic use, or commercial use of any kind. Our products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without our prior written approval.

Your use of this product is also subject to compliance with the licensing requirements, listed below if applicable, and described on the product's web page at <http://www.takarabio.com>. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

©2020 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.

Takara Bio USA, Inc.

1290 Terra Bella Avenue, Mountain View, CA 94043, USA

U.S. Technical Support: techUS@takarabio.com

United States/Canada

800.662.2566

Asia Pacific

+1.650.919.7300

Europe

+33.(0)1.3904.6880

Japan

+81.(0)77.565.6999

4/15/2020