

Certificate of analysis

Product Name/Description: ApoPrimer Set (Bcl-2 family)
Cat. #: 6623
Lot #: Specified on product label
Storage Conditions: -20 degrees C
Expiration Date: 2 years from date of receipt under proper storage condition

Package Size: 1 Set

Package Contents:	1. human Mcl-1 primer mix	10 pmol/μl	40 μl
	2. human Bfl-1 primer mix	10 pmol/μl	40 μl
	3. human Bax-α primer mix	10 pmol/μl	40 μl
	4. human Bcl-2 primer mix	10 pmol/μl	40 μl
	5. human Bak primer mix	10 pmol/μl	40 μl
	6. human Bik primer mix	10 pmol/μl	40 μl
	7. human Bcl-x primer mix	10 pmol/μl	40 μl
	8. human β-actin primer mix	10 pmol/μl	40 μl
	9. APO Positive Control RNA 1		24 μl

Quality Control Data:

RT-PCR test:
When RT-PCR was performed using APO Positive Control RNA 1 and human bfl-1 primer mix, a DNA fragment of 331 bp was obtained.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.

Notice To Purchaser:

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office:
www.takara-bio.co.jp (Japanese)
www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.