

Certificate of analysis

Product Name/Description: TaKaRa LA PCRTM Kit Ver.2.1

Cat. #: RR013A

Lot #: Specified on product label

Storage Conditions: -20 degrees C

Expiration Date: Specified on product label or package

Package Size: 50 Rxns

Package Contents:	 TaKaRa LA Taq 	5 U/μl	25 μ1
	2. dNTP Mixture	2.5 mM each	$400 \mu l$
	3. 10X LA PCR Buffer II (Mg2+ plus)		250 μ1
	4. 10X LA PCR Buffer II (Mg2+ free)		250 μ1
	5. MgCl2	25 mM	500 μ1
	6. Control Template	100 ng/µl	10 μ1
	7. Control Primer LA3	$10 \mu M$	10 μ1
	8. Control Primer LA4	$10 \mu M$	10 μ1
	9. λ-Hind III digested MW Marker	100 ng/µl	20 μ1
	10. 2X GC Buffer I (Mg2+ plus)		1.25 ml
	11. 2X GC Buffer II (Mg2+ plus)		1.25 ml
	12. Control Primer GC1	10 μΜ	10 μ1

Quality Control Data:

PCR test:

Good performance of this kit was confirmed by PCR using Control Template and Control Primers supplied in this kit (amplified fragments sizes: 17.5 kbp and 1,255 bp, human genomic DNA as a template). Comparing this product with the previous lot by PCR, there was no significant difference.

10 µM

10 µ1

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.

13. Control Primer GC2



N	otice	T_{Ω}	Purchaser:

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office: www.takara-bio.co.jp (Japanese) www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.