

## Certificate of Analysis

**Product name/description :**

**RetroNectin<sup>®</sup> Dish (RetroNectin Pre-coated Dish, 35 mmφ)**

**Code No : T110A**

**Size : 10 dishes**

**Lot No : 0991001**

**Storage Condition : 4 degrees C**

**Expiration Date : November 2011**

**Quality Control data:**

Test items	Specifications	Results
Biological activity tests		
(1) C-domain binding activity	conform to the control	Passed
(2) CS1 binding activity	conform to the control	Passed
(3) Virus binding activity	conform to the control	Passed

It is certified that this product meets above specifications.

Approved By :

---

Yoshiko Kubota  
 Manager, Quality Assurance  
 TAKARA BIO INC.

**Safety Statement:**

This product is not considered hazardous under either OSHA 29CFR1910.1200 or the latest amendments to European Union Directive (67/548/EC) and do not require a Material Safety Data Sheet (MSDS). Takara Bio is unaware of any hazards associated with these products, although their chemical, physical, and toxicological properties may not have been thoroughly investigated, as yet. Therefore, we recommend the use gloves, a lab coat, and eye protection when working with these or any chemical reagents. Takara Bio assumes no liability for damage resulting from handling or contact with these products.

**Notice To Purchaser:**

This product is intended to be used for research purpose only.

They are not to be used for drug or diagnostic purposes, nor are they intended for human use. They shall not to be used products as food, cosmetics, or utensils, etc.

Takara products may not be resold or transferred, modified for resale or transfer, or used to manufacture commercial products without written approval from TAKARA BIO INC.

If you require licenses for other use, please call at +81 77 543 7247 or contact from our website.

(\*)Japanese customers: [www.takara-bio.co.jp](http://www.takara-bio.co.jp)

Other country's customers: [www.takara-bio.com](http://www.takara-bio.com) or <http://www.takara-bio.us>

Produced by TAKARA BIO INC.