



# Safety Data Sheet

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 2023-12-29

Revision Number 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code** 635057  
**Product Name** A/C Heterodimerizer  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** For research use only. Not for use in diagnostic procedures  
**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

##### USA:

Takara Bio USA, Inc.  
2560 Orchard Parkway  
San Jose, CA 95131, USA  
Phone: 800.662.2566/888.251.6618  
Web: www.takarabio.com

##### Europe:

Takara Bio Europe S.A.S.  
34, Rue de la Croix de Fer  
78100 Saint-Germain-en-Laye, France  
Phone: +33.1.39.04.68.80  
Web: www.takarabio.com

##### Europe:

Takara Bio Europe AB  
Arvid Wallgrens Backe 20,  
SE-413 46 Göteborg, Sweden  
Phone: +46.31.758.09.00  
Web: www.takarabio.com

##### India:

DSS Takara Bio India Pvt. Ltd.  
A-5 Mohan Co-operative Industrial Estate, Mathura Road,  
New Delhi 110044, India  
Phone: +91.1800.212.4922 (Toll free)  
Web: www.takarabio.com

For further information, please contact:

### 1.4. Emergency telephone number

**Emergency telephone** In case of emergency, call PERS (Professional Emergency Resource Services)  
1-800-633-8253 (US) or 801-629-0667 (international).

Italy	Marco Marano
-------	--------------

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma, Piazza Sant'Onofrio,4 00165 0668593726
---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

<b>Flammable liquids</b>	Category 2 - (H225)
--------------------------	---------------------

### 2.2. Label elements



**Signal word**  
Danger

### Hazard statements

H225 - Highly flammable liquid and vapor

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### Additional information

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

Toxic to aquatic life.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethanol-200 Proof 64-17-5	90 - 100	No data available	200-578-6 (603-002-00-5)	Flam. Liq. 2 (H225)	-	-	-

**Full text of H- and EUH-phrases: see section 16**

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Ethanol-200 Proof 64-17-5	7060	No data available	116.9 133.8	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

4.1. Description of first aid measures

<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Rinse mouth.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

### 7.3. Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethanol-200 Proof 64-17-5	-	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL 2000 ppm STEL 3800 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1907 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Ethanol-200 Proof 64-17-5	-	TWA: 1000 mg/m <sup>3</sup> Ceiling: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 2000 ppm STEL: 3800 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1000 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Ethanol-200 Proof 64-17-5	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 9500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 380 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 380 mg/m <sup>3</sup> Peak: 800 ppm Peak: 1520 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 2000 ppm STEL: 3800 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Ethanol-200 Proof 64-17-5	STEL: 1000 ppm	-	STEL: 1000 ppm STEL: 1884 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1000 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1900 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Ethanol-200 Proof 64-17-5	-	-	TWA: 137 ppm TWA: 260 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1900 mg/m <sup>3</sup> Sk*	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Ethanol-200 Proof 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 9500 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 960 mg/m <sup>3</sup> Ceiling: 1920 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup> TWA: 500 ppm STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 1910 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland	United Kingdom	
Ethanol-200 Proof 64-17-5	NGV: 500 ppm NGV: 1000 mg/m <sup>3</sup> Vägledande KGV: 1000 ppm Vägledande KGV: 1900 mg/m <sup>3</sup>		TWA: 500 ppm TWA: 960 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup> STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup>	

#### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Personal Protective Equipment**

<b>Eye/face protection</b>	Tight sealing safety goggles.
<b>Hand protection</b>	Wear suitable gloves. Impervious gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
<b>Environmental exposure controls</b>	No information available.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	aqueous solution
<b>Color</b>	No information available
<b>Odor</b>	None.
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point/boiling range (°C)</b>	78 °C	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability limit:</b>	No data available	
<b>Lower flammability limit:</b>	No data available	
<b>Flash point</b>	13 °C	Open cup
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	No information available
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic Viscosity</b>	No data available	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Bulk Density</b>	No data available	
<b>Liquid Density</b>	No data available	
<b>Vapor density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

**9.2. Other information**

9.2.1. Information with regard to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No information available.

### 10.2. Chemical stability

**Stability** Stable under normal conditions.

#### **Explosion Data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### 10.4. Conditions to avoid

**Conditions to avoid** Heat, flames and sparks.

### 10.5. Incompatible materials

**Incompatible materials** None known based on information supplied.

### 10.6. Hazardous decomposition products

**Hazardous Decomposition Products** None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

#### Numerical measures of toxicity

##### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 7,131.30 mg/kg

**ATEmix (dermal)** 99,999.00 mg/kg

ATEmix (inhalation-dust/mist) 118.10 mg/l

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol-200 Proof	= 7060 mg/kg ( Rat )	-	= 116.9 mg/L ( Rat ) 4 h = 133.8 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** No information available.**Germ cell mutagenicity** No information available.**Carcinogenicity** No information available.**Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Aspiration hazard** No information available.**11.2. Information on other hazards****11.2.1. Endocrine disrupting properties****Endocrine disrupting properties** No information available.**11.2.2. Other information****Other adverse effects** No information available.**SECTION 12: Ecological information****12.1. Toxicity****Ecotoxicity** Toxic to aquatic life.**Unknown aquatic toxicity** Contains 0.95 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol-200 Proof	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L



		(96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)		(48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
--	--	---	--	---

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

**Component Information**

Chemical name	Partition coefficient
Ethanol-200 Proof	-0.35

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Ethanol-200 Proof	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**SECTION 14: Transport information****IATA**

<b>14.1 UN number or ID number</b>	UN1993
<b>14.2 UN proper shipping name</b>	Flammable liquid, n.o.s. (Ethanol-200 Proof)
<b>14.3 Transport hazard class(es)</b>	3
<b>14.4 Packing group</b>	II
<b>Description</b>	UN1993, Flammable liquid, n.o.s. (Ethanol-200 Proof), 3, II
<b>14.5 Environmental hazards</b>	Not applicable

**14.6 Special precautions for user**

Special Provisions A3  
 ERG Code 3H

**IMDG**

14.1 UN number or ID number UN1993  
 14.2 UN proper shipping name Flammable liquid, n.o.s. (Ethanol-200 Proof)  
 14.3 Transport hazard class(es) 3  
 14.4 Packing group II  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol-200 Proof), 3, II, (13°C c.c.)  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
 Special Provisions 274  
 F-E, S-E  
 14.7 Maritime transport in bulk according to IMO instruments No information available

**RID**

14.1 UN number or ID number UN1993  
 14.2 UN proper shipping name Flammable liquid, n.o.s. (Ethanol-200 Proof)  
 14.3 Transport hazard class(es) 3  
 14.4 Packing group II  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol-200 Proof), 3, II  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
 Special Provisions 274, 601, 640D  
 Classification code F1

**ADR**

14.1 UN number or ID number UN1993  
 14.2 UN proper shipping name Flammable liquid, n.o.s. (Ethanol-200 Proof)  
 14.3 Transport hazard class(es) 3  
 14.4 Packing group II  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol-200 Proof), 3, II, (D/E)  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
 Special Provisions 274, 601, 640C  
 Classification code F1  
 Tunnel restriction code (D/E)

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number	Title
Ethanol-200 Proof 64-17-5	RG 84	-

**Netherlands**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Ethanol-200 Proof	Present	-	Fertility Category 1A Development Category 1A

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
			Can be harmful via breastfeeding

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Ethanol-200 Proof - 64-17-5	Product-type 1: Human hygiene Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area

**International Inventories**

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

**Chemical Safety Assessment** No information available

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

#### Legend

SVHC: Substances of Very High Concern for Authorization:

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	Time weighted average	STEL	Short term exposure limit
Ceiling	Maximum limit value	*	Skin designation
**	Hazard Designation	+	Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision Date 2023-12-29

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**