

# Safety Data Sheet

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 2025-01-16

Revision Number 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 635670

Product Name TALON Superflow Metal Affinity Resin

 Pure substance/mixture
 Mixture

 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For research use only. Not for use in diagnostic procedures

Uses advised against No information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier USA: Takara Bio USA, Inc. 2560 Orchard Parkway San Jose, CA 95131, USA Phone: 800.662.2566/888.251.6618 Web: www.takarabio.com

Europe: Takara Bio Europe S.A.S. 34, Rue de la Croix de Fer 78100 Saint-Germain-en-Laye, France Phone: +33.1.39.04.68.80 Web: www.takarabio.com

Europe: Takara Bio Europe AB Arvid Wallgrens Backe 20, SE-413 46 Göteborg, Sweden Phone: +46.31.758.09.00 Web: www.takarabio.com

India: DSS Takara Bio India Pvt. Ltd. A-5 Mohan Co-operative Industrial Estate, Mathura Road, New Delhi 110044, India Phone: +91.1800.212.4922 (Toll free) Web: www.takarabio.com

For further information, please contact:

#### 1.4. Emergency telephone number

| Emergency telephone | In case of emergency, call PERS (Professional Emergency Resource Services) 1-800-633-8253 (US) or 801-629-0667 (international). |
|---------------------|---|
| Italy               | Marco Marano  |
|                     |   |

Category 3 - (H412)

|--|

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - chronic

#### 2.2. Label elements

#### Hazard statements

H412 - Harmful to aquatic life with long lasting effects

#### Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

#### 2.3. Other hazards

Harmful to aquatic life.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

| Chemical name | Weight-% | <b>REACH</b> registration | ```            | Classification according |             | M-Factor | M-Factor    |
|---------------|----------|---------------------------|----------------|--------------------------|-------------|----------|-------------|
|               |          | number                    | Index No)      | to Regulation (EC) No.   |             |          | (long-term) |
|               |          |                           |                | 1272/2008 [CLP]          | limit (SCL) |          |             |
| Ethanol       | 10 - 20  | No data available         | 200-578-6      | Flam. Liq. 2 (H225)      | -           | -        | -           |
| 64-17-5       |          |                           | (603-002-00-5) |                          |             |          |             |
| Cobalt        | < 0.1    | No data available         | 231-158-0      | Skin Sens. 1 (H317)      | -           | -        | -           |
| 7440-48-4     |          |                           | (027-001-00-9) | Resp. Sens. 1 (H334)     |             |          |             |
|               |          |                           |                | Muta. 2 (H341)           |             |          |             |
|               |          |                           |                | Carc. 1B (H350)          |             |          |             |
|               |          |                           |                | Repr. 1B (H360F)         |             |          |             |
|               |          |                           |                | Aquatic Chronic 4        |             |          |             |
|               |          |                           |                | (H413)                   |             |          |             |

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name      | Oral LD50 mg/kg |                   | Inhalation LC50 - 4<br>hour - dust/mist - mg/L | Inhalation LC50 - 4<br>hour - vapor - mg/L | Inhalation LC50 - 4<br>hour - gas - ppm |
|--------------------|-----------------|-------------------|--|--|---|
| Ethanol<br>64-17-5 | 7060            | No data available | 116.9<br>133.8                                 | No data available                          | No data available                       |

| Chemical name       | Oral LD50 mg/kg | Dermal LD50<br>mg/kg | Inhalation LC50 - 4<br>hour - dust/mist - mg/L | Inhalation LC50 - 4<br>hour - vapor - mg/L | Inhalation LC50 - 4<br>hour - gas - ppm |
|---------------------|-----------------|----------------------|--|--|---|
| Cobalt<br>7440-48-4 | 6171            | No data available    | No data available                              | No data available                          | No data available                       |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

| Inhalation                       | Remove to fresh air.   |
|----------------------------------|--|
| Eye contact                      | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact                     | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.                 |
| Ingestion                        | Rinse mouth.   |
| 4.2. Most important symptoms and | effects, both acute and delayed  |

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

| Suitable Extinguishing Media                                   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                               |
|--|---|
| Large Fire   | CAUTION: Use of water spray when fighting fire may be inefficient.  |
| Unsuitable extinguishing media                                 | Do not scatter spilled material with high pressure water streams.   |
| 5.2. Special hazards arising from th                           | e substance or mixture  |
| Specific hazards arising from the chemical                     | No information available.   |
| 5.3. Advice for firefighters                                   |   |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.<br>Use personal protection equipment. |

### **SECTION 6:** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

| Personal precautions                | Ensure adequate ventilation.   |
|-------------------------------------|--|
| For emergency responders            | Use personal protection recommended in Section 8.                                    |
| 6.2. Environmental precautions      |  |
| Environmental precautions           | See Section 12 for additional Ecological Information.                                |
| 6.3. Methods and material for conta | inment and cleaning up   |
| Methods for containment             | Prevent further leakage or spillage if safe to do so.                                |
| Methods for cleaning up             | Take up mechanically, placing in appropriate containers for disposal.                |
| Prevention of secondary hazards     | Clean contaminated objects and areas thoroughly observing environmental regulations. |
| 6.4. Reference to other sections    |  |
| Reference to other sections         | See section 8 for more information. See section 13 for more information.             |

## **SECTION 7: Handling and storage**

| 7.1. Precautions for safe handling    |  |  |  |  |  |  |
|---------------------------------------|--|--|--|--|--|--|
| Advice on safe handling               | Ensure adequate ventilation.   |  |  |  |  |  |
| General hygiene considerations        | Handle in accordance with good industrial hygiene and safety practice. |  |  |  |  |  |
| 7.2. Conditions for safe storage, inc | cluding any incompatibilities  |  |  |  |  |  |
| Storage Conditions                    | Keep container tightly closed in a dry and well-ventilated place.      |  |  |  |  |  |
|                                       |  |  |  |  |  |  |

#### 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure Limits**

| Chemical name | European Union | Austria                         | Belgium                      | Bulgaria                     | Croatia                      |
|---------------|----------------|---------------------------------|------------------------------|------------------------------|------------------------------|
| Ethanol       | -              | TWA: 1000 ppm                   | TWA: 1000 ppm                | TWA: 1000 mg/m <sup>3</sup>  | TWA: 1000 ppm                |
| 64-17-5       |                | TWA: 1900 mg/m <sup>3</sup>     | TWA: 1907 mg/m <sup>3</sup>  |                              | TWA: 1900 mg/m <sup>3</sup>  |
|               |                | STEL 2000 ppm                   |                              |                              |                              |
|               |                | STEL 3800 mg/m <sup>3</sup>     |                              |                              |                              |
| Cobalt        | -              | Sk*                             | TWA: 0.02 mg/m <sup>3</sup>  | TWA: 0.1 mg/m <sup>3</sup>   | TWA: 0.1 mg/m <sup>3</sup>   |
| 7440-48-4     |                | Sa+                             |                              |                              | Skin Sensitisation           |
|               |                | Sh+                             |                              |                              | Respiratory                  |
|               |                |                                 |                              |                              | Sensitisation                |
| Chemical name | Cyprus         | Czech Republic                  | Denmark                      | Estonia                      | Finland                      |
| Ethanol       | -              | TWA: 1000 mg/m <sup>3</sup>     | TWA: 1000 ppm                | TWA: 500 ppm                 | TWA: 1000 ppm                |
| 64-17-5       |                | Ceiling: 3000 mg/m <sup>3</sup> | TWA: 1900 mg/m <sup>3</sup>  | TWA: 1000 mg/m <sup>3</sup>  | TWA: 1900 mg/m <sup>3</sup>  |
|               |                |                                 | STEL: 2000 ppm               | STEL: 1000 ppm               | STEL: 1300 ppm               |
|               |                |                                 | STEL: 3800 mg/m <sup>3</sup> | STEL: 1900 mg/m <sup>3</sup> | STEL: 2500 mg/m <sup>3</sup> |
| Cobalt        | -              | TWA: 0.05 mg/m <sup>3</sup>     | TWA: 0.01 mg/m <sup>3</sup>  | TWA: 0.05 mg/m <sup>3</sup>  | TWA: 0.02 mg/m <sup>3</sup>  |
| 7440-48-4     |                | S+                              | STEL: 0.02 mg/m <sup>3</sup> | S+                           |                              |

|               |               |                             | Ceiling: 0.1 mg/m <sup>3</sup> |                                 |          |  |                              |
|---------------|---------------|-----------------------------|--------------------------------|---------------------------------|----------|--|------------------------------|
| Chemical name |               | France                      | Germany TRGS                   | Germany DFG                     | Gi       | reece  | Hungary                      |
| Ethanol       | TWA           | A: 1000 ppm                 | TWA: 200 ppm                   | TWA: 200 ppm                    |          | 1000 ppm                                     | TWA: 1000 ppm                |
| 64-17-5       |               | : 1900 mg/m <sup>3</sup>    | TWA: 380 mg/m <sup>3</sup>     | TWA: 380 mg/m <sup>3</sup>      | TWA: 1   | 900 mg/m <sup>3</sup>                        | TWA: 1900 mg/m <sup>3</sup>  |
|               |               | L: 5000 ppm                 |                                | Peak: 800 ppm                   |          |  | STEL: 2000 ppm               |
|               | STEL          | : 9500 mg/m <sup>3</sup>    |                                | Peak: 1520 mg/m <sup>3</sup>    |          |  | STEL: 3800 mg/m <sup>3</sup> |
| Cobalt        |               | -                           | -                              | Sk*                             | TWA: (   | 0.1 mg/m <sup>3</sup>                        | TWA: 0.02 mg/m <sup>3</sup>  |
| 7440-48-4     |               |                             |                                | respiratory and skin            |          |  | SZ+                          |
|               |               |                             |                                | sensitizer                      |          |  |                              |
| Chemical name |               | Ireland                     | Italy MDLPS                    | Italy AIDII                     |          | atvia  | Lithuania                    |
| Ethanol       | STE           | L: 1000 ppm                 | -                              | STEL: 1000 ppm                  | TWA: 1   | 000 mg/m <sup>3</sup>                        | TWA: 500 ppm                 |
| 64-17-5       |               |                             |                                | STEL: 1884 mg/m <sup>3</sup>    |          |  | TWA: 1000 mg/m <sup>3</sup>  |
|               |               |                             |                                |                                 |          |  | STEL: 1000 ppm               |
|               |               |                             |                                |                                 |          |  | STEL: 1900 mg/m <sup>3</sup> |
| Cobalt        |               | : 0.02 mg/m <sup>3</sup>    | -                              | TWA: 0.02 mg/m <sup>3</sup>     | TWA: (   | 0.5 mg/m³                                    | TWA: 0.05 mg/m <sup>3</sup>  |
| 7440-48-4     | STEL          | .: 0.06 mg/m <sup>3</sup>   |                                | senR+                           |          |  | J+                           |
|               |               | Sens+                       |                                | senD+                           |          |  |                              |
| Chemical name | Lu            | ixembourg                   | Malta                          | Netherlands                     |          | orway  | Poland                       |
| Ethanol       |               | -                           | -                              | TWA: 137 ppm                    |          | 500 ppm                                      | TWA: 1900 mg/m <sup>3</sup>  |
| 64-17-5       |               |                             |                                | TWA: 260 mg/m <sup>3</sup>      |          | 950 mg/m <sup>3</sup>                        |                              |
|               |               |                             |                                | STEL: 1000 ppm                  |          | 625 ppm                                      |                              |
|               |               |                             |                                |                                 | STEL: 11 | 87.5 mg/m <sup>3</sup>                       |                              |
| Ocholt        |               |                             |                                | Sk*                             |          | 00   | T\N/A : 0.00                 |
| Cobalt        |               | -                           | -                              | TWA: 0.02 mg/m <sup>3</sup>     |          | .02 mg/m <sup>3</sup>                        | TWA: 0.02 mg/m <sup>3</sup>  |
| 7440-48-4     |               |                             |                                |                                 |          | ).06 mg/m <sup>3</sup>                       |                              |
| Chemical name |               | Portugal                    | Romania                        | Slovakia                        |          | A+<br>ovenia                                 | Spain                        |
| Ethanol       |               | L: 1000 ppm                 | TWA: 1000 ppm                  | TWA: 500 ppm                    |          | 060 mg/m <sup>3</sup>                        | STEL: 1000 ppm               |
| 64-17-5       | SIE           | L. 1000 ppm                 | TWA: 1900 mg/m <sup>3</sup>    | TWA: 960 mg/m <sup>3</sup>      |          | 500 ng/m²                                    | STEL: 1910 mg/m <sup>3</sup> |
| 04-17-5       |               |                             | STEL: 5000 ppm                 | Ceiling: 1920 mg/m <sup>3</sup> |          | 1000 ppm                                     |                              |
|               |               |                             | STEL: 9500 mg/m <sup>3</sup>   | Cening. 1920 mg/m               |          | 920 mg/m <sup>3</sup>                        |                              |
| Cobalt        | <b>Τ\//</b> Δ | : 0.02 mg/m <sup>3</sup>    | TWA: 0.05 mg/m <sup>3</sup>    | TWA: 0.05 mg/m <sup>3</sup>     |          | -  | TWA: 0.02 mg/m <sup>3</sup>  |
| 7440-48-4     |               | . 0.02 mg/m                 | STEL: 0.1 mg/m <sup>3</sup>    | S+                              |          |  | Sen+                         |
| Chemical name |               | SI                          | veden                          | Switzerland                     |          | Uni  | ted Kingdom                  |
| Ethanol       |               | _                           | 500 ppm                        | TWA: 500 ppm                    |          |  | A: 1000 ppm                  |
| 64-17-5       |               | NGV: 1000 mg/m <sup>3</sup> |                                | TWA: 960 mg/m <sup>3</sup>      |          | TWA: 1000 ppm<br>TWA: 1920 mg/m <sup>3</sup> |                              |
|               |               |                             | KGV: 1000 ppm                  | STEL: 1000 ppr                  |          |  | EL: 3000 ppm                 |
|               |               |                             | (GV: 1900 mg/m <sup>3</sup>    | STEL: 1920 mg/i                 |          |  | L: 5760 mg/m <sup>3</sup>    |
| Cobalt        |               |                             | ).02 mg/m <sup>3</sup>         | TWA: 0.05 mg/n                  |          |  | A: 0.1 mg/m <sup>3</sup>     |
| 7440-48-4     |               |                             | Sk*                            | Sk*                             |          |  | EL: 0.3 mg/m <sup>3</sup>    |
|               |               |                             | S+                             | S+                              |          |  | Sen+                         |
|               |               |                             |                                |                                 |          |  |                              |

### **Biological occupational exposure limits**

| Chemical name       | European Union | Austria  | Bulgaria               | Croatia   | Czech Republic |
|---------------------|----------------|--|------------------------|---|----------------|
| Cobalt<br>7440-48-4 | -              | 10 μg/L - urine<br>(spontaneous urine)<br>- after end of work<br>day, at the end of a<br>work week/end of<br>the shift | -                      | -   | -              |
| Chemical name       | Denmark        | Finland  | France                 | Germany DFG   | Germany TRGS   |
| Cobalt<br>7440-48-4 | -              | 130 nmol/L (urine -<br>Cobalt after the work<br>phase or shift after a<br>working week or<br>exposure period)          | end of shift at end of | exposures: at the<br>end of the shift after<br>several shifts) urine<br>1.5 µg/L - BAR (for | -              |

|               |                            |                            | exposures: at             | the                         |
|---------------|----------------------------|----------------------------|---------------------------|-----------------------------|
|               |                            |                            | end of the shift          |                             |
|               |                            |                            | several shifts)           |                             |
|               |                            |                            | 6 µg/L - (long-           |                             |
|               |                            |                            | exposure: at the          |                             |
|               |                            |                            | of the shift af           |                             |
|               |                            |                            | several shifts) -         |                             |
|               |                            |                            | 15 µg/L - (long           |                             |
|               |                            |                            | exposure: at the          |                             |
|               |                            |                            | of the shift af           |                             |
|               |                            |                            | several shifts) -         |                             |
|               |                            |                            | 30 µg/L - (long           |                             |
|               |                            |                            | exposure: at the          |                             |
|               |                            |                            | of the shift af           |                             |
|               |                            |                            |                           |                             |
|               |                            |                            | several shifts) -         |                             |
|               |                            |                            | 60 µg/L - (long           |                             |
|               |                            |                            | exposure: at the          |                             |
|               |                            |                            | of the shift af           |                             |
|               |                            |                            | several shifts) -         |                             |
|               |                            |                            | 300 µg/L -                |                             |
|               |                            |                            | (long-term expo           |                             |
|               |                            |                            | at the end of the         |                             |
|               |                            |                            | after several sh          | ifts) -                     |
|               |                            |                            | urine                     |                             |
|               |                            |                            | 3 µg/L - (long-           |                             |
|               |                            |                            | exposure: at the          |                             |
|               |                            |                            | of the shift af           | ter                         |
|               |                            |                            | several shifts) -         |                             |
|               |                            |                            | 6 µg/L - (end             | dof                         |
|               |                            |                            | shift) - urine            | e                           |
|               |                            |                            | 15 μg/L - (en             | d of                        |
|               |                            |                            | shift) - urine            | e                           |
|               |                            |                            | 30 µg/L - (en             | d of                        |
|               |                            |                            | shift) - urine            |                             |
|               |                            |                            | 60 µg/Ĺ - (en             |                             |
|               |                            |                            | shift) - urine            |                             |
|               |                            |                            | 300 µg/L - (er            |                             |
|               |                            |                            | shift) - urine            |                             |
|               |                            |                            | 3 µg/L - (end             |                             |
|               |                            |                            | shift) - urine            |                             |
| Chemical name | Hungary                    | Ireland                    | Italy MDLPS               | Italy AIDII                 |
| Cobalt        | 0.01 mg/g Creatinine       | 15 µg/L (urine - Cobalt    |                           | 15 μg/L - urine (Cobalt) -  |
| 7440-48-4     | (urine - Cobalt end of     | end of shift at end of     | -                         | end of shift at end of      |
| 7440-48-4     | shift)                     | workweek)                  |                           | workweek                    |
|               |                            | 1 µg/L (blood - Cobalt end |                           | WOIKWEEK                    |
|               |                            |                            |                           |                             |
|               | Creatinine (urine - Cobalt | of shift at end of         |                           |                             |
|               | end of shift)              | workweek)                  | D ·                       |                             |
| Chemical name | Latvia                     | Luxembourg                 | Romania                   | Slovakia                    |
| Cobalt        | 7 µg/L - blood (Cobalt) -  | -                          |                           | 30 µg/L (urine - Cobalt not |
| 7440-48-4     | at the end of exposure or  |                            | end of work week          | critical)                   |
|               | shift                      |                            | 1 µg/L - blood (Cobalt) - |                             |
|               | 130 nmol/L - urine         |                            | end of work week          |                             |
|               | (Cobalt) - at the end of   |                            |                           |                             |
|               | exposure or shift          |                            |                           |                             |
| Chemical name | Slovenia                   | Spain                      | Switzerland               | United Kingdom              |
| Cobalt        | -                          | 15 µg/L (urine - Cobalt    | 30 µg/L (urine - Cobalt   | -                           |
| 7440-48-4     |                            | end of workweek)           | end of shift)             |                             |
|               |                            | 1 µg/L (blood - Cobalt end |                           |                             |
|               |                            | of workweek)               | end of shift)             |                             |
|               |                            |                            |                           |                             |

Derived No Effect Level (DNEL)No information available.Predicted No Effect ConcentrationNo information available.

#### (PNEC)

#### 8.2. Exposure controls

| Personal Protective Equipment   |  |
|---------------------------------|--|
| Eye/face protection             | No special protective equipment required.  |
|                                 |  |
| Skin and body protection        | No special protective equipment required.  |
| Respiratory protection          | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations  | Handle in accordance with good industrial hygiene and safety practice.   |
| Environmental exposure controls | No information available.  |

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Physical state | Paste / Gel Liquid       |
|----------------|--------------------------|
| Appearance     | Pink slurry              |
| Color          | No information available |
| Odor           | Alcohol                  |
| Odor Threshold | No information available |
|                |                          |

#### Property Melting point / freezing point Boiling point/boiling range (°C) Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Flash point Autoignition temperature **Decomposition temperature** pН pH (as aqueous solution) **Kinematic viscosity Dynamic Viscosity** Water solubility Solubility in other solvents Partition coefficient Vapor pressure **Relative density Bulk Density** Liquid Density Vapor density **Particle characteristics Particle Size Particle Size Distribution**

Values No data available No data available No data available

No data available No data available No data available No data available

No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available

No information available

### Remarks • Method

None known None known None known None known

Open cup None known None known No information available None known None known None known None known None known None known None known

None known

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

#### 9.2.2. Other safety characteristics No information available

### **SECTION 10: Stability and reactivity**

| 10.1. Reactivity  |   |  |
|---|---|--|
| Reactivity  | No information available.                 |  |
| 10.2. Chemical stability  |   |  |
| Stability   | Stable under normal conditions.           |  |
| Explosion Data<br>Sensitivity to mechanical impact<br>Sensitivity to static discharge |   |  |
| 10.3. Possibility of hazardous reacti   | ons                                       |  |
| Possibility of hazardous reactions  | None under normal processing.             |  |
| 10.4. Conditions to avoid   |   |  |
| Conditions to avoid   | None known based on information supplied. |  |
| 10.5. Incompatible materials  |   |  |
| Incompatible materials  | None known based on information supplied. |  |
| 10.6. Hazardous decomposition products  |   |  |

Hazardous Decomposition Products None known based on information supplied.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

**Product Information** 

| Inhalation   | Specific test data for the substance or mixture is not available. |  |  |  |
|--|---|--|--|--|
| Eye contact  | Specific test data for the substance or mixture is not available. |  |  |  |
| Skin contact   | Specific test data for the substance or mixture is not available. |  |  |  |
| Ingestion  | Specific test data for the substance or mixture is not available. |  |  |  |
| Symptoms related to the physical, chemical and toxicological characteristics |   |  |  |  |
| Symptoms   | No information available.   |  |  |  |
| Numerical measures of toxicity   |   |  |  |  |
|  |   |  |  |  |

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (dermal) 99,999.00 mg/kg 573.50 mg/l ATEmix (inhalation-dust/mist)

#### **Component Information**

| Chemical name | Oral LD50          | Dermal LD50 | Inhalation LC50       |
|---------------|--------------------|-------------|-----------------------|
| Ethanol       | = 7060 mg/kg (Rat) | -           | = 116.9 mg/L (Rat)4 h |
|               |                    |             | = 133.8 mg/L (Rat)4 h |
| Cobalt        | = 6171 mg/kg (Rat) | -           | < 0.05 mg/L (Rat)4 h  |
|               |                    |             |                       |

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation         | No information available. |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |

### Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

| Chemical name | European Union |
|---------------|----------------|
| Cobalt        | Muta. 2        |
|               |                |

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union |  |
|---------------|----------------|--|
| Cobalt        | Carc. 1B       |  |
| Cobalt        | Carc. 1B       |  |

**Reproductive toxicity** 

No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name | European Union |  |
|---------------|----------------|--|
| Cobalt        | Repr. 1B       |  |
|               |                |  |

- STOT single exposure No information available.
- STOT repeated exposure No information available.
- Aspiration hazard No information available.
- 11.2. Information on other hazards
- 11.2.1. Endocrine disrupting properties
- **Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0.941 % of components with unknown hazards to the aquatic environment.

| Chemical name | Algae/aquatic plants | Fish                    | Toxicity to<br>microorganisms | Crustacea              |
|---------------|----------------------|-------------------------|-------------------------------|------------------------|
|               |                      |                         | microorganisms                |                        |
| Ethanol       | -                    | LC50: 12.0 - 16.0mL/L   | -                             | LC50: 9268 - 14221mg/L |
|               |                      | (96h, Oncorhynchus      |                               | (48h, Daphnia magna)   |
|               |                      | mykiss)                 |                               | EC50: =2mg/L (48h,     |
|               |                      | LC50: >100mg/L (96h,    |                               | Daphnia magna)         |
|               |                      | Pimephales promelas)    |                               |                        |
|               |                      | LC50: 13400 - 15100mg/L |                               |                        |
|               |                      | (96h, Pimephales        |                               |                        |
|               |                      | promelas)               |                               |                        |
| Cobalt        | -                    | LC50: >100mg/L (96h,    | -                             | -                      |
|               |                      | Brachydanio rerio)      |                               |                        |

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

**Component Information** 

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| Ethanol       | -0.35                 |

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name | PBT and vPvB assessment                             |
|---------------|---|
| Ethanol       | The substance is not PBT / vPvB                     |
| Cobalt        | The substance is not PBT / vPvB PBT assessment does |
|               | not apply   |

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

products

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

### **SECTION 14: Transport information**

| IATA<br>14.1 UN number or ID number<br>14.2 UN proper shipping name<br>14.3 Transport hazard class(es)<br>14.4 Packing group<br>14.5 Environmental hazards<br>14.6 Special precautions for user<br>Special Provisions                                 | Not regulated<br>No information available<br>Not regulated<br>Not regulated<br>Not applicable<br>None            |
|---|--|
| IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for user<br>Special Provisions14.7Maritime transport in bulk<br>according to IMO instruments | Not regulated<br>No information available<br>Not regulated<br>Not applicable<br>None<br>No information available |
| RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for userSpecial Provisions  | Not regulated<br>No information available<br>Not regulated<br>Not regulated<br>Not applicable<br>None            |
| ADR<br>14.1 UN number or ID number<br>14.2 UN proper shipping name<br>14.3 Transport hazard class(es)<br>14.4 Packing group<br>14.5 Environmental hazards<br>14.6 Special precautions for user<br>Special Provisions                                  | Not regulated<br>No information available<br>Not regulated<br>Not regulated<br>Not applicable<br>None            |

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

France

**Occupational Illnesses (R-463-3, France)** 

| Chemical name       | French RG number                 | Title |
|---------------------|----------------------------------|-------|
| Ethanol<br>64-17-5  | RG 84                            | -     |
| Cobalt<br>7440-48-4 | RG 65,RG 70,RG<br>70bis,RG 70ter | -     |

#### Germany

#### TA Luft (German Air Pollution Control Regulation)

#### Netherlands

| Chemical name | Netherlands - List of<br>Carcinogens | Netherlands - List of<br>Mutagens | Netherlands - List of<br>Reproductive Toxins  |
|---------------|--------------------------------------|-----------------------------------|---|
| Ethanol       | Present                              | -                                 | Fertility Category 1A<br>Development Category 1A<br>Can be harmful via<br>breastfeeding |
| Cobalt        | Present                              | -                                 | Fertility Category 1B   |

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

| Chemical name      | Restricted substance per REACH | Substance subject to authorization per |
|--------------------|--------------------------------|--|
|                    | Annex XVII                     | REACH Annex XIV                        |
| Cobalt - 7440-48-4 | 30                             | -                                      |
|                    | 28                             |  |
|                    | 75                             |  |

#### Persistent Organic Pollutants

Not applicable

### Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

| Chemical name     | Biocidal Products Regulation (EU) No 528/2012 (BPR)       |
|-------------------|---|
| Ethanol - 64-17-5 | Product-type 1: Human hygiene Product-type 2:             |
|                   | Disinfectants and algaecides not intended for direct      |
|                   | application to humans or animals Product-type 4: Food and |
|                   | feed area   |

| International Inventories |   |
|---------------------------|---|
| TSCA                      | - |
| DSL/NDSL                  | - |
| EINECS/ELINCS             | - |
| ENCS                      | - |
| IECSC                     | - |
| KECI                      | - |
| PICCS                     | - |
| AICS                      | - |
|                           |   |

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Assessment No information available

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H225 - Highly flammable liquid and vapor

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360F - May damage fertility

H413 - May cause long lasting harmful effects to aquatic life

#### Legend

SVHC: Substances of Very High Concern for Authorization:

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| TWA     | Time weighted average | STEL | Short term exposure limit |
|---------|-----------------------|------|---------------------------|
| Ceiling | Maximum limit value   | *    | Skin designation          |
| **      | Hazard Designation    | +    | Sensitizers               |

| Classification procedure  |                    |  |
|---|--------------------|--|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used        |  |
| Acute oral toxicity   | Calculation method |  |
| Acute dermal toxicity   | Calculation method |  |
| Acute inhalation toxicity - gas                                 | Calculation method |  |
| Acute inhalation toxicity - vapor                               | Calculation method |  |
| Acute inhalation toxicity - dust/mist                           | Calculation method |  |
| Skin corrosion/irritation                                       | Calculation method |  |
| Serious eye damage/eye irritation                               | Calculation method |  |
| Respiratory sensitization                                       | Calculation method |  |
| Skin sensitization  | Calculation method |  |
| Mutagenicity  | Calculation method |  |
| Carcinogenicity   | Calculation method |  |
| Reproductive toxicity   | Calculation method |  |
| STOT - single exposure  | Calculation method |  |
| STOT - repeated exposure  | Calculation method |  |
| Acute aquatic toxicity  | Calculation method |  |
| Chronic aquatic toxicity  | Calculation method |  |
| Aspiration hazard   | Calculation method |  |
| Ozone   | Calculation method |  |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### **Revision Date** 2025-01-16

#### This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet