

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 1/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product Identifier / Product Name

REF	740240.4	
Product Name	NucleoSpin 96 DNA FFPE (4x96)	
2 x 100 mL B5		
1 x 125 mL BE		
1 x 300 mL BW		UFI: MMPT-631A-V206-GNTN
4 x 1-75 mg Proteinase K (lyo)		UFI: S0KV-C3D9-420Q-9T2H
1 x 35 mL PB		
3 x 45 mL BQ1		UFI: F37V-23QV-720V-9F2A
4 x 30 mL D-Link		
4 x 30 mL FL		
2 x 100 mL Paraffin Dissolver (blue)		UFI: FM7W-U31J-N20G-1QX0

### 1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the Supplier and of the Safety Data Sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency Telephone Number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

USA: American Association Of Poison Control Centers

Rockville, MD 20857. tel. 1-800-222-1222, <<https://www.poisonhelp.org>>

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730

<<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard(s) Identification

### 2.0 Classification of the complete Product



GHS02

GHS07

GHS08

Signal Word

DANGER

#### Hazard Identification

#### Hazard Classes/Categories

H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H304	Asp. Tox. 1
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H336	STOT SE 3

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 2/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### 2.1 Classification of the substance or mixture

#### 1-75 mg Proteinase K (Iyo)



GHS07



GHS08

Signal Word

DANGER

Hazard Identification	Hazard Classes/Categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1

#### 45 mL BQ1



GHS07

Signal Word

WARNING

Hazard Identification	Hazard Classes/Categories
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2

#### 300 mL BW



GHS02



GHS07

Signal Word

WARNING

Hazard Identification	Hazard Classes/Categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H336	STOT SE 3

#### 35 mL PB

Signal Word

Do not need labelling as hazardous

-

No Hazard Class

#### 100 mL Paraffin Dissolver (blue)



GHS08

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 3/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

Signal Word	DANGER
<b>Hazard Identification</b>	<b>Hazard Classes/Categories</b>
H304	Asp. Tox. 1

### 30 mL D-Link

Signal Word	Do not need labelling as hazardous
No Hazard Class	-

### 125 mL BE

Signal Word	Do not need labelling as hazardous
No Hazard Class	-

### 100 mL B5

Signal Word	Do not need labelling as hazardous
No Hazard Class	-

### 30 mL FL

Signal Word	Do not need labelling as hazardous
No Hazard Class	-

List of H phrases: see section 16.2

## 2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

According the implementation of GHS immediate packages only must be labelled with product identifier(s), GHS symbol(s), signal word, manufacturer name and phone number (OSHA's interpretation of HCS 2012). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2) / **until 100 mL** (Canada WHMIS 2015). This labelling exemption does not apply to U.S.A. This labelling exemption is NOT valid for sensilizing substances.

### 1-75 mg Proteinase K (Iyo)



Signal Word: DANGER  
 H334  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 P261sh, P342+311  
 Avoid breathing dust/vapors.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### 45 mL BQ1



Signal Word: WARNING



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 4/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### 300 mL BW



GHS02



GHS07

Signal Word: WARNING

H226, H302, H315, H319, H336

Flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

P210, P260D, P264W, P280sh, P301+312, P330

Do not breathe vapors. Wash with water thoroughly after handling. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/eye protection. Rinse mouth.

### 35 mL PB

Do not need labelling as hazardous

Signal Word: -

### 100 mL Paraffin Dissolver (blue)



GHS08

Signal Word: DANGER

H304

May be fatal if swallowed and enters airways.

P301+310, P331

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting.

### 30 mL D-Link

Do not need labelling as hazardous

Signal Word: -

### 125 mL BE

Do not need labelling as hazardous

Signal Word: -

### 100 mL B5

Do not need labelling as hazardous

Signal Word: -

### 30 mL FL

Do not need labelling as hazardous

Signal Word: -

## Label elements of the complete product



GHS02



GHS07



GHS08

Signal Word: DANGER

H226, H302, H304, H315, H319, H334, H336

Flammable liquid and vapor. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause drowsiness or dizziness.

P210, P260D, P264W, P280sh, P301+310, P330, P331

Do not breathe vapors. Wash with water thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/eye protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. Do NOT induce vomiting.

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 5/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

### 2.3 Other Hazards

**Possible Hazards from physicochemical Properties**

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures with air.

**Information pertaining to particular Risks to Human and possible Symptoms**

Cause after oral intake, impairments of health when ingested in small quantities. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. The Paraffin Dissolver needs no labeling H350, because the aromates are reduced (<0.03%).

Kit contains small amounts of enzymes, which may cause sensitization by direct and repeated contact.

**Information pertaining to particular Risks to the Environment**

**PBT:** not applicable

**vPvB:** not applicable

**Possible endocrine disrupting effects**

data not available

## SECTION 3: Composition/Information on Ingredients

### 3.1 Substances or 3.2 Mixtures

**1-75 mg Proteinase K (Iyo)**

Substance name: *proteinase K*  
CAS No.: 39450-01-6

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1  
Chemical Formula: Enzyme Comm. No. 3.4.21.64, origin: tritirachium album  
Synonyms (de): Endopeptidase K  
EC No.: 254-457-8 Index No.: 647-014-00-9  
Concentration: 90 - <100 %  
acc. GHS: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

**300 mL BW**

Substance name: *2-propanol*  
CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3  
Chemical Formula: C<sub>3</sub>H<sub>8</sub>O  
Synonyms (de): Isopropanol, IPA, Propan-2-ol  
REACH Reg. No.: 01-2119457558-25-XXXX  
EC No.: 200-661-7 Index No.: 603-117-00-0  
Concentration: 20 - <35 %  
acc. GHS: H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3

Substance name: *guanidine hydrochloride*  
CAS No.: 50-01-1

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2  
Chemical Formula: CH<sub>6</sub>CIN<sub>3</sub>  
Synonyms (de): Guanidiniumchlorid  
REACH Reg. No.: 01-2119977063-35-0005  
EC No.: 200-002-3 Index No.: 607-148-00-0  
Concentration: 36 - <50 %  
acc. GHS: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

**100 mL B5**

Substance name: *chemicals/mixture until 1%*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical is not required.  
Concentration: 0,1 - <1 %  
acc. GHS: The criteria for classification are not fulfilled.

**125 mL BE**



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 6/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

Substance name: *chemicals/mixture until 1%*  
 CAS No.: -  
 Substance rating: No criteria for classification or naming of chemical is not required.  
 Concentration: 0,1 - <1 %  
 acc. GHS: The criteria for classification are not fulfilled.

### 30 mL FL

Substance name: *chemicals/mixture until 1%*  
 CAS No.: -  
 Substance rating: No criteria for classification or naming of chemical is not required.  
 Concentration: 0,1 - <1 %  
 acc. GHS: The criteria for classification are not fulfilled.

### 30 mL D-Link

Substance name: *inorganic salts, declaration not necessary*  
 CAS No.: -  
 Substance rating: No criteria for classification or naming of chemical is not required.  
 Synonyms (de): kein Gefahrstoff  
 Concentration: 5 - <10 %  
 acc. GHS: The criteria for classification are not fulfilled.

### 35 mL PB

Substance name: *glycerole*  
 CAS No.: 56-81-5  
 Substance rating: No criteria for classification or naming of chemical is not required.  
 Chemical Formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>  
 Synonyms (de): 1,2,3-Propantriol  
 REACH Reg. No.: 01-2119471987-18-xxxx  
 EC No.: 200-289-5  
 Concentration: 10 - <50 %  
 acc. GHS: The criteria for classification are not fulfilled.  
 Index No.: n/a

### 100 mL Paraffin Dissolver (blue)

Substance name: *paraffin dissolver*  
 CAS No.: 64742-46-7  
 Substance rating: H304, Asp. Tox. 1  
 Chemical Formula: C<sub>15</sub>-C<sub>20</sub>, isomere aliphates  
 Synonyms (de): KW-Fraktion C<sub>15</sub>-C<sub>20</sub>  
 REACH Reg. No.: 01-2119827000-58-XXXX  
 EC No.: 934-956-3  
 Concentration: 90 - <100 %  
 acc. GHS: H304, Asp. Tox. 1  
 Index No.: 649-275-00-4

### 45 mL BQ1

Substance name: *guanidine hydrochloride*  
 CAS No.: 50-01-1  
 Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2  
 Chemical Formula: CH<sub>6</sub>ClN<sub>3</sub>  
 Synonyms (de): Guanidiniumchlorid  
 REACH Reg. No.: 01-2119977063-35-0005  
 EC No.: 200-002-3  
 Concentration: 50 - <66 %  
 acc. GHS: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2  
 Index No.: 607-148-00-0

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of Hazard and Precaution phrases: see section 16.2.



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 7/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### SECTION 4: First-Aid Measures

#### 4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

##### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

##### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

##### 4.1.3 After INHALATION of Vapors

After inhalation of foam or vapor fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function.

##### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralize it. Contact medical advice for possible consequences.

#### 4.2 Most important Symptoms and Effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Causes serious eye irritation.

#### 4.3 Indication of any immediate Medical Attention and Special Treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive substance. Further treatment must to be carried out by an eye specialist. Inform patient respectively further measures and the possibility of long-term damages. ---

### SECTION 5: Fire-Fighting Measures

#### 5.1 Extinguishable Media

##### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

##### 5.1.2 Unsuitable extinguishing media

data not available

#### 5.2 Special Hazards arising from the Substance or Mixture

WARNING: Flammable. May form explosive vapor-air mixtures. Formation of hazardous and caustic vapor-air mixtures possible.

#### 5.3 Advice for Firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

#### 5.4 Additional Information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

### SECTION 6: Accidental Release Measures

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedure

Do not breathe vapors. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 8/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

### 6.2 Environmental Precautions

PBT: not applicable  
vPvB: not applicable

### 6.3 Methods and Material for Containment and Cleaning up

Bind any escaping liquid with inert absorbent.  
And dispose in accordance to local regulations for the disposal of hazards. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into sewer. Not for organic solvents (see section 13).

### 6.4 Reference to other Sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and Storage

### 7.1 Precautions for Safe Handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

### 7.2 Conditions for Safe Storage, including any Incompatibilities

The original product package allows a safe storage. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3  
Water hazard class (DE): 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific End Use(s)

Product for analytical use.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control Parameters

#### 1-75 mg Proteinase K (Iyo)

Chemical: *proteinase K* CAS No.: 39450-01-6

#### 300 mL BW

Chemical: *2-propanol* CAS No.: 67-63-0

DNEL: [inh] 500 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L  
PNEC = Predicted No Effect Concentration

NIOSH: [TWA] 400 ppm / 980 mg/m<sup>3</sup>

NIOSH STEL: 500 ppm / 1225 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m<sup>3</sup>

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1

DNEL: [inh] 3.5 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): -  
PNEC = Predicted No Effect Concentration

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

#### 100 mL B5

Chemical: *chemicals/mixture until 1%* CAS No.: -

#### 125 mL BE

Chemical: *chemicals/mixture until 1%* CAS No.: -

#### 30 mL FL

Chemical: *chemicals/mixture until 1%* CAS No.: -





# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 9/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

### 30 mL D-Link

Chemical: *inorganic salts, declaration not necessary*

CAS No.: -

### 35 mL PB

Chemical: *glycerole*

CAS No.: 56-81-5

DNEL: [inh] 56 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.885 mg/L

PNEC = Predicted No Effected Concentration

### 100 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*

CAS No.: 64742-46-7

NIOSH STEL: 10 mg/m<sup>3</sup>

OSHA: 5 mg/m<sup>3</sup>

### 45 mL BQ1

Chemical: *guanidine hydrochloride*

CAS No.: 50-01-1

DNEL: [inh] 3.5 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): -

PNEC = Predicted No Effected Concentration

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

## 8.2 Exposure Controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory Protection

Use for open access of these substances for example a vapor/dust respirator, class A/AX. No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves (permeation time >30 min - level 2), consist of PVC, Natural latex, Neopren, or Nitril. Use for short times chemical resistant Latex gloves f.ex. with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, Splash Goggles.

### 8.2.4 Skin Protection

Recommended to avoid contamination with these hazards.

### 8.2.5 Hygiene Measures

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

data not available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

# SECTION 9: Physical and Chemical Properties

## 9.1 Information on Basic Physical and Chemical Properties

### 1-75 mg Proteinase K (Iyo)

a) State of aggregation:	solid (lyophilized)
b) Color:	slightly grey
c) Odor:	odorless
d) Melting Point:	data not available
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	data not available
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	data not available



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 10/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient (o/w) :	data not available
o) Vapor Pressure (68°F):	data not available
p) Specific Gravity:	data not available
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

### 300 mL BW

a) State of aggregation:	liquid
b) Color:	colorless
c) Odor:	alcoholic
d) Melting Point:	data not available
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	25 °C
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	7-8
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient (o/w) :	data not available
o) Vapor Pressure (68°F):	data not available
p) Specific Gravity:	1.06 g/cm <sup>3</sup>
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

### 100 mL B5

a) State of aggregation:	liquid
b) Color:	colorless
c) Odor:	odorless
d) Melting Point:	data not available
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	data not available
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	7-8
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient (o/w) :	data not available
o) Vapor Pressure (68°F):	data not available
p) Specific Gravity:	1.00 g/cm <sup>3</sup>
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

### 125 mL BE

a) State of aggregation:	liquid
b) Color:	colorless
c) Odor:	odorless
d) Melting Point:	0 °C
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	data not available
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	8-9
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient (o/w) :	data not available
o) Vapor Pressure (68°F):	data not available



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 11/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

p) Specific Gravity: 1.0 g/cm<sup>3</sup>  
 q) Relative Vapor Density (air=1) : data not available  
 r) Particle Size: data not available

### 30 mL FL

a) State of aggregation: liquid  
 b) Color: colorless  
 c) Odor: odorless  
 d) Melting Point: data not available  
 e) Boiling Point: data not available  
 f) Flammability: data not available  
 g) Explosive Limits (lower / upper): data not available  
 h) Flash Point: data not available  
 i) Autoignition Temperature: data not available  
 j) Decomposition Temperature: data not available  
 k) pH Value: 9-9.5  
 l) Kinematic Viscosity: data not available  
 m) Soluble in Water: data not available  
 n) Partition Coefficient (o/w) : data not available  
 o) Vapor Pressure (68°F): data not available  
 p) Specific Gravity: 1.01 g/cm<sup>3</sup>  
 q) Relative Vapor Density (air=1) : data not available  
 r) Particle Size: data not available

### 30 mL D-Link

a) State of aggregation: liquid  
 b) Color: colorless  
 c) Odor: odorless  
 d) Melting Point: data not available  
 e) Boiling Point: data not available  
 f) Flammability: data not available  
 g) Explosive Limits (lower / upper): data not available  
 h) Flash Point: data not available  
 i) Autoignition Temperature: data not available  
 j) Decomposition Temperature: data not available  
 k) pH Value: 4.5-5  
 l) Kinematic Viscosity: data not available  
 m) Soluble in Water: data not available  
 n) Partition Coefficient (o/w) : data not available  
 o) Vapor Pressure (68°F): data not available  
 p) Specific Gravity: 1.03 g/cm<sup>3</sup>  
 q) Relative Vapor Density (air=1) : data not available  
 r) Particle Size: data not available

### 35 mL PB

a) State of aggregation: liquid  
 b) Color: colorless  
 c) Odor: alcoholic  
 d) Melting Point: data not available  
 e) Boiling Point: data not available  
 f) Flammability: data not available  
 g) Explosive Limits (lower / upper): data not available  
 h) Flash Point: data not available  
 i) Autoignition Temperature: data not available  
 j) Decomposition Temperature: data not available  
 k) pH Value: data not available  
 l) Kinematic Viscosity: data not available  
 m) Soluble in Water: data not available  
 n) Partition Coefficient (o/w) : data not available  
 o) Vapor Pressure (68°F): data not available  
 p) Specific Gravity: 1.11 g/cm<sup>3</sup>  
 q) Relative Vapor Density (air=1) : data not available  
 r) Particle Size: data not available



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 12/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### 100 mL Paraffin Dissolver (blue)

a) State of aggregation:	liquid
b) Color:	blue
c) Odor:	organic
d) Melting Point:	-18 pourpoint °C
e) Boiling Point:	245-330 °C
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	1-6 Vol%
h) Flash Point:	>115 °C
i) Autoignition Temperature:	>230 °C
j) Decomposition Temperature:	data not available
k) pH Value:	-
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	<0.001 %
n) Partition Coefficient (o/w) :	7-8.7
o) Vapor Pressure (68°F):	< 0.003 hPa
p) Specific Gravity:	0.82 g/cm <sup>3</sup>
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

### 45 mL BQ1

a) State of aggregation:	liquid
b) Color:	colorless
c) Odor:	odorless
d) Melting Point:	data not available
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	data not available
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	4.5-5.2
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient (o/w) :	data not available
o) Vapor Pressure (68°F):	data not available
p) Specific Gravity:	1.18 g/cm <sup>3</sup>
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

## 9.2 Further Information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.  
**Properties relevant to substance groups**

## SECTION 10: Stability and Reactivity

### 10.1 Reactivity

No further data available.

### 10.2 Chemical Stability

no known instability.

### 10.3 Possibility of Hazardous Reactions

But avoid reactions with oxidizing agents. Can form very reactive substances with oxidizing agents. No further data available.

### 10.4 Conditions to avoid

But formation of explosive gases/vapours with air is possible. Use only in well ventilated rooms. No more required.



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 13/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### 10.5 Incompatible Materials

Avoid storage with oxidizing substances. ---

### 10.6 Hazardous Decomposition Products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological Information

### 11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

#### 1-75 mg Proteinase K (Iyo)

Chemical: *proteinase K* CAS No.: 39450-01-6

TSCA Inventory: listed (CAS 102925-54-2)

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### 300 mL BW

Chemical: *2-propanol* CAS No.: 67-63-0

TSCA Inventory: listed California Prop. 65 List: not listed

ACGIH: 1230 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis

Canada CEPA 1999: DSL yes

LD50 orl rat : 5045 mg/kg

LC<sub>50</sub> Low orl hmn : 3570 mg/kg

LC50 ihl rat : 25 mg/L/4H

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1

TSCA Inventory: listed California Prop. 65 List: not listed

Canada CEPA 1999: DSL yes

LD50 orl rat : 475-907 mg/kg

LC50 ihl rat : 3181-7655 µg/m<sup>3</sup>/4H

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

#### 100 mL B5

Chemical: *chemicals/mixture until 1%* CAS No.: -

TSCA Inventory: all listed, <1%

#### 125 mL BE

Chemical: *chemicals/mixture until 1%* CAS No.: -

TSCA Inventory: all listed, <1%

#### 30 mL FL

Chemical: *chemicals/mixture until 1%* CAS No.: -

TSCA Inventory: all listed, <1%

#### 30 mL D-Link

Chemical: *inorganic salts, declaration not necessary* CAS No.: -

TSCA Inventory: all listed

#### 35 mL PB

Chemical: *glycerole* CAS No.: 56-81-5

TSCA Inventory: listed (1,2,3-Propanetriol)

Exposure Routes: inhalation, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, kidneys

Symptoms: irritation eyes, skin, respiratory system; headache, nausea, vomiting; kidney injury

LD50 orl rat : 12600 mg/kg

#### 100 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver* CAS No.: 64742-46-7

TSCA Inventory: listed

LD50 orl rat : > 5000 mg/kg



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 14/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

### 45 mL BQ1

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1  
 TSCA Inventory: listed California Prop. 65 List: not listed  
 Canada CEPA 1999: DSL yes  
 LD50 orl rat : 475-907 mg/kg  
 LC50 ihl rat : 3181-7655 µg/m³/4H  
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

## 11.2 Other Hazards

### Possible endocrine disrupting effects

data not available

### Other Information

no additional data available

## SECTION 12: Ecological Information

### 12.1 Toxicity

Following information is valid for pure chemicals.

#### 1-75 mg Proteinase K (Iyo)

Chemical: *proteinase K* CAS No.: 39450-01-6

#### 300 mL BW

Chemical: *2-propanol* CAS No.: 67-63-0  
 PNEC (fresh water) : 140.9 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 fish/96h : 1400 mg/L  
 EC50 daphnia/48h : 13.3 g/L  
 IC50 scenedesmus quadricauda/72h : >1000 mg/L  
 EC10 pseudomonas putita/16h : EC5: 1050 mg/L  
 Partition Coefficient (o/w) : 0,05

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1  
 PNEC (fresh water) : -  
 PNEC = Predicted No Effect Concentration  
 LC50 leuciscus idus/96h : 1759 mg/L  
 LC50 fish/96h : [4d] 690-1850; [48h] 1758-2420 mg/L  
 EC50 daphnia/48h : 70.2 mg/L  
 EC10 pseudomonas putita/16h : [72h] 11.8-33.5 mg/L

#### 100 mL B5

Chemical: *chemicals/mixture until 1%* CAS No.: -

#### 125 mL BE

Chemical: *chemicals/mixture until 1%* CAS No.: -

#### 30 mL FL

Chemical: *chemicals/mixture until 1%* CAS No.: -

#### 30 mL D-Link

Chemical: *inorganic salts, declaration not necessary* CAS No.: -

#### 35 mL PB

Chemical: *glycerole* CAS No.: 56-81-5  
 PNEC (fresh water) : 0.885 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 fish/96h : >5000 24h mg/L  
 EC50 daphnia/48h : >10 24h g/L  
 IC50 scenedesmus quadricauda/72h : IC5 7d >10 g/L  
 EC10 pseudomonas putita/16h : EC5: >10 g/L  
 Partition Coefficient (o/w) : -1,76



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4

NucleoSpin 96 DNA FFPE (4x96)

Page: 15/18

Printing Date: 04.04.2023

Date of Issue: 03.03.2023

Version: 3.2.9.8

### 100 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*  
 LC50 fish/96h : >1028 mg/L  
 Partition Coefficient (o/w) : 7-8,7

CAS No.: 64742-46-7

### 45 mL BQ1

Chemical: *guanidine hydrochloride*  
 PNEC (fresh water) : -  
 PNEC = Predicted No Effect Concentration  
 LC50 leuciscus idus/96h : 1759 mg/L  
 LC50 fish/96h : [4d] 690-1850; [48h] 1758-2420 mg/L  
 EC50 daphnia/48h : 70.2 mg/L  
 EC10 pseudomonas putita/16h : [72h] 11.8-33.5 mg/L

CAS No.: 50-01-1

## 12.2 Persistence and Degradability

not necessary

## 12.3 Bioaccumulative Potential

not necessary

## 12.4 Mobility in Soil

not necessary

## 12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## 12.6 Endocrine disrupting properties

data not available

## 12.7 Other Adverse Effects

no additional data available

## SECTION 13: Disposal Considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (RCRA Code D002/D003, EU waste code number 16 05 06). Or collect in solvent waste (RCRA Code D001, EU waste code number 07 07 04).

### 13.1 Waste Treatment Methods

Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport Information

14.1. UN/NA: 1993 14.2. Proper Shipping Name: Flammable liquid, n.o.s. (2-propanol mixture)

14.3. Hazard Class: 3 14.4. Packing Group: III

#### Transportation by Road

Classification code: F1  
 Limited Quantity: 5 L Tunnel restriction code: D/E  
 Excepted Quantity: E 1 Special instructions: 640E

#### Air Transportation

Limited Quantity: LQ 7  
 Excepted Quantity: E 1  
 PAX: 355 max. weight PAX: 60 L  
 CAO: 366 max. weight CAO: 220 L

#### Maritime Transport

EmS: F-E, S-E Storage Category: A

## 14.5 Environmental Hazards

none, contains only small quantities of hazardous substances

## 14.6 Special Precautions for User

not necessary



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 16/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

### 14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory Information

### 15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

#### U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

<https://www.osha.gov/dsg/hazcom/ghs.html>

29 CFR 1910.1200 Hazard communication.

NIOSH Pocket Guide to Chemical Hazards

NIOSH Workplace Safety & Health Topics

TSCA Inventory

#### U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

#### Canada

Canada CEPA 1999 - Domestic Substances List (DSL), List of Toxic Substances (Schedule 1)

MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)

### 15.2 Chemical Safety Assessment

not necessary for these small amounts

## SECTION 16: Other Information

### 16.1 Changes compared to the last version

Between versions 3.2.9.8 and 2.2.2.2 following changes were applied: -0 product data corrected - 7 composition data corrected - 6 substance data corrected

### 16.2 List of Hazard and Precaution Phrases

#### 16.2.1 List of relevant H Phrases

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H336	May cause drowsiness or dizziness.

#### 16.2.2 List of relevant P Phrases

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260D	Do not breathe vapors.
P264W	Wash with water thoroughly after handling.
P280sh	Wear protective gloves/eye protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P330	Rinse mouth.
P331	Do NOT induce vomiting.

### 16.3 Recommended Restriction on Use

Only for Professional User.

Look about employee restrictions for young people!

Look about employee restrictions for pregnant women and nursing women!

An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of Key Data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation

487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 17/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019  
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG  
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

**revisions/updates**

*Reason for revision:* 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
 2014-04 adjustment according Regulation 487/2013/EU  
 2016-03 adjustment according Regulation 1221/2015/EU  
  
 2017-11 adjustment according the ECHA registration dossier  
 2022-11 adjustment according Regulation 878/2020/EU

### 16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

acc: according  
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road  
 Act: acute  
 BAT: biological workplace tolerance value  
 CAO: Cargo Aircraft Only  
 Carc: carcinogen  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging regulation  
 CMR: carcinogen, mutagen, reproduction toxic  
 Corr: corrosive  
 COD: chemical oxigen demand  
 CSCL: Chemical Substance Control Law (Jp)  
 Dam: damage  
 DNEL: Derived No-Effect Level (for workers)  
 derm: dermal  
 dog: dog  
 EC10: Concentration causing a toxic effect in 10% of the test organisms  
 EC: European Community  
 EC-Nr: Substance number of the EC substance inventory  
 EmS: Guide to accident management measures on ships  
 EU: European Union  
 fish: fish (not specified)  
 GHS: Global Harmonized System of Classification and Labeling of Chemicals  
 gpg: guinea pig  
 ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fisch, rainbow trout  
 orl: oral



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740240.4	NucleoSpin 96 DNA FFPE (4x96)	Page: 18/18
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 3.2.9.8

- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fish, fathead minnow
- PNEC: Predicted No Effect Concentration
- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride
- quail: bird, quail
- rat: rat
- rbt: rabbit
- RD: rapidly degradable
- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- scu: sub cutan
- RIP: REACH Implementations Projects
- SDS: safety data sheet
- Sens: sensitisation
- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

### 16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com