

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60	Paraffin Dissolver (blue) (60 mL)	Page: 1/8
Printing Date: 04.04.2023	Date of Issue: 29.09.2022	Version: 2.2.3.2

### SECTION 1: Identification of the substance/mixture and of the company

#### 1.1 Product Identifier / Product Name

REF	740343.60
Product Name	Paraffin Dissolver (blue) (60 mL)
1 x 60 mL Paraffin Dissolver (blue)	UFI: FM7W-U31J-N20G-1QX0

#### 1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

#### 1.3 Details of the Supplier and of the Safety Data Sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

#### 1.4 Emergency Telephone Number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 USA: American Association Of Poison Control Centers  
 Rockville, MD 20857. tel. 1-800-222-1222, <<https://www.poisonhelp.org>>  
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730  
 <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

### SECTION 2: Hazard(s) Identification

#### 2.0 Classification of the complete Product



GHS08

Signal Word DANGER

Hazard Identification	Hazard Classes/Categories
H304	Asp. Tox. 1

#### 2.1 Classification of the substance or mixture

60 mL Paraffin Dissolver (blue)



GHS08

Signal Word DANGER

Hazard Identification	Hazard Classes/Categories
H304	Asp. Tox. 1



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60	Paraffin Dissolver (blue) (60 mL)	Page: 2/8
Printing Date: 04.04.2023	Date of Issue: 29.09.2022	Version: 2.2.3.2

List of H phrases: see section 16.2

### 2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

According the implementation of GHS immediate packages only must be labelled with product identifier(s), GHS symbol(s), signal word, manufacturer name and phone number (OSHA's interpretation of HCS 2012).

#### 60 mL Paraffin Dissolver (blue)



GHS08

Signal Word: DANGER  
 H304  
 May be fatal if swallowed and enters airways.  
 P301+310, P331  
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting.

#### Label elements of the complete product



GHS08

Signal Word: DANGER  
 H304  
 May be fatal if swallowed and enters airways.  
 P301+310, P331  
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting.

### 2.3 Other Hazards

#### Possible Hazards from physicochemical Properties

#### Information pertaining to particular Risks to Human and possible Symptoms

May be fatal if swallowed and enters airways. The Paraffin Dissolver needs no labeling H350, because the aromates are reduced (<0.03%).

#### Information pertaining to particular Risks to the Environment

PBT: not applicable  
 vPvB: not applicable

#### Possible endocrine disrupting effects

data not available

## SECTION 3: Composition/Information on Ingredients

### 3.1 Substances or 3.2 Mixtures

#### 60 mL Paraffin Dissolver (blue)

Substance name:	<i>paraffin dissolver</i>	
CAS No.:	64742-46-7	
Substance rating:	H304, Asp. Tox. 1	
Chemical Formula:	C <sub>15</sub> -C <sub>20</sub> , isomere aliphates	
Synonyms (de):	KW-Fraktion C <sub>15</sub> -C <sub>20</sub>	
REACH Reg. No.:	01-2119827000-58-XXXX	
EC No.:	934-956-3	Indice No.: 649-275-00-4
Concentration:	90 - <100 %	
acc. GHS:	H304, Asp. Tox. 1	

### 3.3 Remarks



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 3/8

Printing Date: 04.04.2023

Date of Issue: 29.09.2022

Version: 2.2.3.2

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of Hazard and Precaution phrases: see section 16.2.

### SECTION 4: First-Aid Measures

#### 4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

##### 4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

##### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

##### 4.1.3 After INHALATION of Vapors

After inhalation of foam or vapor fresh air should be inhaled. Keep airways free.

##### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

#### 4.2 Most important Symptoms and Effects, both acute and delayed

#### 4.3 Indication of any immediate Medical Attention and Special Treatment needed

---

### SECTION 5: Fire-Fighting Measures

#### 5.1 Extinguishable Media

##### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

##### 5.1.2 Unsuitable extinguishing media

data not available

#### 5.2 Special Hazards arising from the Substance or Mixture

Formation of hazardous and caustic vapor-air mixtures possible.

#### 5.3 Advice for Firefighters

Product package burns like paper or plastic.

#### 5.4 Additional Information

### SECTION 6: Accidental Release Measures

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedure

Do not breathe vapors. Regular staff training is necessary.

#### 6.2 Environmental Precautions

PBT: not applicable

vPvB: not applicable

#### 6.3 Methods and Material for Containment and Cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into sewer. Not for organic solvents (see section 13).

#### 6.4 Reference to other Sections



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 4/8

Printing Date: 04.04.2023

Date of Issue: 29.09.2022

Version: 2.2.3.2

### SECTION 7: Handling and Storage

#### 7.1 Precautions for Safe Handling

Handling in accordance with the test instruction, that comes with the product.

#### 7.2 Conditions for Safe Storage, including any Incompatibilities

The original product package allows a safe storage. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 12

Water hazard class (DE): 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific End Use(s)

Product for analytical use.

### SECTION 8: Exposure Controls/Personal Protection

#### 8.1 Control Parameters

60 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*

CAS No.: 64742-46-7

NIOSH STEL: 10 mg/m<sup>3</sup>

OSHA: 5 mg/m<sup>3</sup>

#### 8.2 Exposure Controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

##### 8.2.1 Respiratory Protection

No additional recommendations.

##### 8.2.2 Skin protection / Hand protection

Yes, gloves (permeation time >30 min - level 2), consist of PVC.

##### 8.2.3 Eye / Face Protection

Yes, Splash Goggles.

##### 8.2.4 Skin Protection

Recommended.

##### 8.2.5 Hygiene Measures

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

##### 8.2.6 Thermal hazards

data not available

#### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

### SECTION 9: Physical and Chemical Properties

#### 9.1 Information on Basic Physical and Chemical Properties

60 mL Paraffin Dissolver (blue)

a) State of aggregation:	liquid
b) Color:	blue
c) Odor:	organic
d) Melting Point:	-18 <sup>pourpoint</sup> °C
e) Boiling Point:	245-330 °C
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	1-6 Vol%
h) Flash Point:	>115 °C
i) Autoignition Temperature:	>230 °C
j) Decomposition Temperature:	data not available
k) pH Value:	-
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	<0.001 %



# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 5/8

Printing Date: 04.04.2023

Date of Issue: 29.09.2022

Version: 2.2.3.2

n) Partition Coefficient (o/w) :	7-8.7
o) Vapor Pressure (68°F):	< 0.003 hPa
p) Specific Gravity:	0.82 g/cm <sup>3</sup>
q) Relative Vapor Density (air=1) :	data not available
r) Particle Size:	data not available

### 9.2 Further Information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.  
**Properties relevant to substance groups**

## SECTION 10: Stability and Reactivity

### 10.1 Reactivity

No further data available.

### 10.2 Chemical Stability

no known instability.

### 10.3 Possibility of Hazardous Reactions

No further data available.

### 10.4 Conditions to avoid

No more required.

### 10.5 Incompatible Materials

---

### 10.6 Hazardous Decomposition Products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological Information

### 11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

#### 60 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*

CAS No.: 64742-46-7

TSCA Inventory: listed

LD50 orl rat : > 5000 mg/kg

### 11.2 Other Hazards

#### Possible endocrine disrupting effects

data not available

#### Other Information

no additional data available

## SECTION 12: Ecological Information

### 12.1 Toxicity

Following information is valid for pure chemicals.

#### 60 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*

CAS No.: 64742-46-7

LC50 fish/96h : >1028 mg/L

Partition Coefficient (o/w) : 7-8,7



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 6/8

Printing Date: 04.04.2023

Date of Issue: 29.09.2022

Version: 2.2.3.2

### 12.2 Persistence and Degradability

not necessary

### 12.3 Bioaccumulative Potential

not necessary

### 12.4 Mobility in Soil

not necessary

### 12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

### 12.6 Endocrine disrupting properties

data not available

### 12.7 Other Adverse Effects

no additional data available

## SECTION 13: Disposal Considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (RCRA Code D002/D003, EU waste code number 16 05 06). Or collect in solvent waste (RCRA Code D001, EU waste code number 07 07 04).

### 13.1 Waste Treatment Methods

Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport Information

14.1 - 14.4: No dangerous goods according the Transport regulations

### 14.5 Environmental Hazards

none, contains only small quantities of hazardous substances

### 14.6 Special Precautions for User

not necessary

### 14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory Information

### 15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

#### U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

<https://www.osha.gov/dsg/hazcom/ghs.html>

29 CFR 1910.1200 Hazard communication.

NIOSH Pocket Guide to Chemical Hazards

NIOSH Workplace Safety & Health Topics

TSCA Inventory

#### U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

#### Canada

Canada CEPA 1999 - Domestic Substances List (DSL), List of Toxic Substances (Schedule 1)

MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)

### 15.2 Chemical Safety Assessment

not necessary for these small amounts



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60	Paraffin Dissolver (blue) (60 mL)	Page: 7/8
Printing Date: 04.04.2023	Date of Issue: 29.09.2022	Version: 2.2.3.2

### SECTION 16: Other Information

#### 16.1 Changes compared to the last version

Between versions 2.2.3.2 and 2.2.2.2 following changes were applied: - 1 composition data corrected

#### 16.2 List of Hazard and Precaution Phrases

##### 16.2.1 List of relevant H Phrases

H304 May be fatal if swallowed and enters airways.

##### 16.2.2 List of relevant P Phrases

P301+310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

#### 16.3 Recommended Restriction on Use

Only for Professional User.

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 Sources of Key Data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

##### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSSL:	Chemical Substance Control Law (Jp)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

## SDS acc. Hazard Communication Standard

REF: 740343.60	Paraffin Dissolver (blue) (60 mL)	Page: 8/8
Printing Date: 04.04.2023	Date of Issue: 29.09.2022	Version: 2.2.3.2

Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
scu:	sub cutan
RIP:	REACH Implementations Projects
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

### 16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com