

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 1/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF	740471.50	
Product name	NucleoSpin DNA Lipid Tissue (50)	
REACH Registration number(s):	see SECTION 3.1/3.2 or	
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.		
1 x 30 mL BE		
1 x 600 µL Liquid Proteinase K		UFI: TTWV-43C9-R202-NTGN
1 x 30 mL BW		UFI: MMPT-631A-V206-GNTN
1 x 6 mL B5		
50 x 1 Bead Tube Type D		
1 x 38 mL LT		UFI: RV7W-C33R-J20Y-1RP6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0  
 E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:sds@mn-net.com))

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS05 GHS07 GHS08 GHS09

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H317	Skin Sens. 1
H334	Resp. Sens. 1
H336	resp. irrit. STOT SE 3
H411	Aquatic Chronic 2

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

38 mL LT



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 2/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25



GHS05 GHS07 GHS09

Signal word DANGER

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H317	Skin Sens. 1
H318	Eye Dam. 1
H411	Aquatic Chronic 2
H412	Aquatic Chronic 3

## 600 µL Liquid Proteinase K



GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H334	Resp. Sens. 1

## 30 mL BW



GHS02 GHS07

Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H336	resp. irrit. STOT SE 3

## 30 mL BE

Signal word Do not need labelling as hazardous

No hazard class -

## 6 mL B5

Signal word Do not need labelling as hazardous

No hazard class -

## 1 Bead Tube Type D

Do not need labelling as hazardous



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 3/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

Signal word -

No hazard class

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

### 38 mL LT



GHS05



GHS09

Signal word: DANGER  
H314, H317

Causes severe skin burns and eye damage. May cause an allergic skin reaction.

P260sh, P264, P272, P280sh, P303+361+353, P305+351+338, P310, P333+313, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

### 600 µL Liquid Proteinase K



GHS08

Signal word: DANGER  
H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P284, P342+311, P501

Avoid breathing dust/vapours. [In case of inadequate ventilation] wear respiratory protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Dispose of contents/container to regulated waste treatment.

### 30 mL BW



GHS02



GHS07

Signal word: WARNING

### 30 mL BE

Do not need labelling as hazardous

Signal word: -

### 6 mL B5

Do not need labelling as hazardous

Signal word: -

### 1 Bead Tube Type D

Do not need labelling as hazardous

Signal word: -

## Label elements of the complete product



GHS02



GHS05



GHS08



GHS09

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 4/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

Signal word: DANGER

H314, H317, H334

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P260sh, P264, P272, P280sh, P284, P303+361+353, P305+351+338, P310, P333+313, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties. For guanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.).

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, skin contact, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. In liquid form no hazard H334.

### Information pertaining to particular risks to the environment

Should not be released into the environment.

**PBT:** not applicable

**vPvB:** not applicable

### Possible endocrine disrupting effects

no data available

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 38 mL LT

Substance name: *1-dodecylpyridiniumchloride*  
CAS No.: 104-74-5

Substance rating: H301, Acute Tox. 3 oral, H312, Acute Tox. 4 derm., H317, Skin Sens. 1, H319, Eye Irrit. 2, H410, Aquatic Chronic 1  
Formula: C 17 H 30 CIN  
REACH Reg. No.: -  
EC No.: 203-232-2  
Concentration: 2,5 - <5 %  
acc. CLP (GHS): H302, Acute Tox. 4 oral, H317, Skin Sens. 1, H318, Eye Dam. 1, H411, Aquatic Chronic 2

Substance name: *guanidinium thiocyanate*  
CAS No.: 593-84-0

Substance rating: H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1 B, H332, Acute Tox. 4 inh., H412, Aquatic Chronic 3  
Formula: C 2 H 6 N 4 S  
Pseudonym (de): Guanidiniumrhodanid  
REACH Reg. No.: 01-2120735072-65-0001  
EC No.: 209-812-1  
Concentration: 30 - <45 %  
acc. CLP (GHS): H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B, H412, Aquatic Chronic 3  
Indice No.: 615-004-00-3

#### 600 µL Liquid Proteinase K



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 6/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

## 1 Bead Tube Type D

Substance name: *steel balls (CAS 7439-89-6)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Formula: Fe  
Concentration: 98 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 7/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

## 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.  
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

## 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

Should not be released into the environment.

**PBT:** not applicable  
**vPvB:** not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

**Storage class (VCI):** 3  
**Water hazard class (DE):** 3

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

**30 mL BW**

Chemical: *2-propanol*

CAS No.: 67-63-0

**DNEL:** [inh] 500 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

**PNEC (fresh water):** 140.9 mg/L  
PNEC = Predicted No Effect Concentration

**TRGS 900 (DE):** 200 ppm / 500 mg/m<sup>3</sup>  
E/e respirable

**Short-term exposure factor:** 2 (II), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

**SUVA(CH) MAK value:** 200 ppm / 500 mg/m<sup>3</sup>

**TRGS 903 (DE):** [Aceton B/b, U/b] 25 mg/L  
B blood, U urine, a no limitation, b end of exposition or shift

**NIOSH:** [TWA] 400 ppm / 980 mg/m<sup>3</sup>

**NIOSH STEL:** 500 ppm / 1225 mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

**OSHA:** [TWA] 400 ppm / 980 mg/m<sup>3</sup>



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

**DE** Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
**CH** Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
**FR** Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
**US** Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 8/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1

DNEL: [inh] 3.5 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): -  
PNEC = Predicted No Effect Concentration

NIOSH: not listed  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

### 38 mL LT

Chemical: *1-dodecylpyridiniumchloride* CAS No.: 104-74-5

Chemical: *guanidinium thiocyanate* CAS No.: 593-84-0

DNEL: [inh] 1092 µg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 42.4 µg/L  
PNEC = Predicted No Effect Concentration

NIOSH: not listed  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

### 6 mL B5

Chemical: *chemicals/mixture until 1%* CAS No.: -

### 30 mL BE

Chemical: *chemicals/mixture until 1%* CAS No.: -

### 600 µL Liquid Proteinase K

Chemical: *glycerole* CAS No.: 56-81-5

DNEL: [inh] 56 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.885 mg/L  
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2 (I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 50 e\* mg/m<sup>3</sup>

Chemical: *proteinase K, liquid* CAS No.: 39450-01-6

SUVA(CH) MAK value: 0,00006 15min mg/m<sup>3</sup>

### 1 Bead Tube Type D

Chemical: *steel balls (CAS 7439-89-6)* CAS No.: -

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 9/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

- 8.2.6 Thermal hazards**  
no data available
- 8.3 Limitation and monitoring of environmental exposure**  
Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 30 mL BW

- |  |                        |
|--|------------------------|
| a) State of aggregation:                       | liquid                 |
| b) Colour:                                     | colourless             |
| c) Odor:                                       | alcoholic              |
| d) Melting point:                              | no data available      |
| e) Boiling point:                              | no data available      |
| f) Flammability:                               | no data available      |
| g) Explosive limits (lower / upper):           | no data available      |
| h) Flash point:                                | 25 °C                  |
| i) Flashing temperature:                       | no data available      |
| j) Decomposition temperature:                  | no data available      |
| k) pH value:                                   | 7-8                    |
| l) Kinematic viscosity:                        | no data available      |
| m) Solubility in water:                        | no data available      |
| n) Dispersion coefficient (K <sub>o/w</sub> ): | no data available      |
| o) Vapour pressure (20°C):                     | no data available      |
| p) Specific gravity:                           | 1.06 g/cm <sup>3</sup> |
| q) Relative vapour density (air=1):            | no data available      |
| r) Particle size:                              | no data available      |

#### 38 mL LT

- |  |                   |
|--|-------------------|
| a) State of aggregation:                       | liquid            |
| b) Colour:                                     | slightly yellow   |
| c) Odor:                                       | odorless          |
| d) Melting point:                              | no data available |
| e) Boiling point:                              | no data available |
| f) Flammability:                               | no data available |
| g) Explosive limits (lower / upper):           | no data available |
| h) Flash point:                                | no data available |
| i) Flashing temperature:                       | no data available |
| j) Decomposition temperature:                  | no data available |
| k) pH value:                                   | 6.5-7.5           |
| l) Kinematic viscosity:                        | no data available |
| m) Solubility in water:                        | no data available |
| n) Dispersion coefficient (K <sub>o/w</sub> ): | no data available |
| o) Vapour pressure (20°C):                     | no data available |
| p) Specific gravity:                           | no data available |
| q) Relative vapour density (air=1):            | no data available |
| r) Particle size:                              | no data available |

#### 6 mL B5

- |  |                   |
|--|-------------------|
| a) State of aggregation:                       | liquid            |
| b) Colour:                                     | colourless        |
| c) Odor:                                       | odorless          |
| d) Melting point:                              | no data available |
| e) Boiling point:                              | no data available |
| f) Flammability:                               | no data available |
| g) Explosive limits (lower / upper):           | no data available |
| h) Flash point:                                | no data available |
| i) Flashing temperature:                       | no data available |
| j) Decomposition temperature:                  | no data available |
| k) pH value:                                   | 7-8               |
| l) Kinematic viscosity:                        | no data available |
| m) Solubility in water:                        | no data available |
| n) Dispersion coefficient (K <sub>o/w</sub> ): | no data available |
| o) Vapour pressure (20°C):                     | no data available |



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 10/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

- p) Specific gravity: 1.00 g/cm<sup>3</sup>
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

**30 mL BE**

- a) State of aggregation: liquid
- b) Colour: colourless
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 8-9
- l) Kinematic viscosity: no data available
- m) Solubility in water: no data available
- n) Dispersion coefficient (K<sub>o/w</sub>): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 1.0 g/cm<sup>3</sup>
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

**600 µL Liquid Proteinase K**

- a) State of aggregation: liquid
- b) Colour: colourless
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 7-8
- l) Kinematic viscosity: no data available
- m) Solubility in water: 0-100 %
- n) Dispersion coefficient (K<sub>o/w</sub>): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 1.1 g/cm<sup>3</sup>
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

**1 Bead Tube Type D**

- a) State of aggregation: solid
- b) Colour: black
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: no data available
- l) Kinematic viscosity: no data available
- m) Solubility in water: no data available
- n) Dispersion coefficient (K<sub>o/w</sub>): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: no data available
- q) Relative vapour density (air=1) : no data available
- r) Particle size: 3 mm



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 11/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

## 9.2 Other information

### 9.2.1 Information on physical hazard classes

no data available

### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. Note: Can form very reactive substances with oxidizing agents. Possible: &H:EUH031& No further data available.

### 10.4 Conditions to avoid

No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 30 mL BW

Chemical:	<i>2-propanol</i>	CAS No.:	67-63-0
TSCA Inventory:	listed	California Proposition 65 List:	not listed
ACGIH:	1230 ppm		
Exposure Routes:	inhalation, ingestion, skin and/or eye contact		
Target Organs:	Eyes, skin, respiratory system		
Symptoms:	irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis		
Australia NICNAS:		Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	PAC yes, Japan PDSCL: -		
Japan ISHL:	listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)		
South Korea TCCA:			
Korea Exist.Chem.Inventory:	KE-29363		
LD50 orl rat :	5045 mg/kg		
LC <sub>50</sub> Low orl hmn :	3570 mg/kg		
LC50 ihl rat :	25 mg/L/4H		
TRGS 905 (DE):	R F C		

Chemical:	<i>guanidine hydrochloride</i>	CAS No.:	50-01-1
TSCA Inventory:	listed	California Proposition 65 List:	not listed
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed		
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-18111		
LD50 orl rat :	475-907 mg/kg		
LC50 ihl rat :	3181-7655 µg/m <sup>3</sup> /4H		



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 12/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

### 38 mL LT

Chemical: *1-dodecylpyridiniumchloride* CAS No.: 104-74-5  
 TSCA Inventory: listed  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 Korea Exist.Chem.Inventory: KE-13023  
 LD50 orl rat : 203 mg/kg

Acute Effects: Cause after oral intake, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts.

Chemical: *guanidinium thiocyanate* CAS No.: 593-84-0  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: not listed  
 LD50 orl rat : 593 mg/kg  
 LC50 ihl rat : 5,319 mg/L/4H

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

### 6 mL B5

Chemical: *chemicals/mixture until 1%* CAS No.: -  
 TSCA Inventory: all listed, <1%  
 Korea Exist.Chem.Inventory: listed

### 30 mL BE

Chemical: *chemicals/mixture until 1%* CAS No.: -  
 TSCA Inventory: all listed, <1%  
 Korea Exist.Chem.Inventory: listed

### 600 µL Liquid Proteinase K

Chemical: *glycerole* CAS No.: 56-81-5  
 TSCA Inventory: listed (1,2,3-Propanetriol)  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, kidneys  
 Symptoms: irritation eyes, skin, respiratory system; headache, nausea, vomiting; kidney injury  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 Korea Exist.Chem.Inventory: KE-29297  
 LD50 orl rat : 12600 mg/kg

TRGS 905 (DE): R F C

Chemical: *proteinase K, liquid* CAS No.: 39450-01-6  
 TSCA Inventory: listed (CAS 102925-54-2)  
 Japan CSCL/PRTR: not listed  
 Japan ISHL: not listed  
 Korea Exist.Chem.Inventory: not listed

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### 1 Bead Tube Type D

Chemical: *steel balls (CAS 7439-89-6)* CAS No.: -  
 TSCA Inventory: listed (CAS 7439-89-6)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 13/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

## 11.2 Other hazards

**Possible endocrine disrupting effects**  
no data available

**Other information**  
no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 30 mL BW

Substance name: *2-propanol* CAS-Nr.: 67-63-0  
 PNEC (fresh water): 140.9 mg/L  
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
 LC50 fish/96h: 1400 mg/L  
 EC50 daphnia/48h: 13.3 g/L  
 IC50 scenedesmus quadricauda/72h: >1000 mg/L  
 EC10 pseudomonas putida/16h: EC5: 1050 mg/L  
 Water hazard class (DE): 1 WGK No.: 0135  
 Storage class (VCI): 3

Substance name: *guanidine hydrochloride* CAS-Nr.: 50-01-1  
 PNEC (fresh water): -  
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
 LC50 leuciscus idus/96h: 1759 mg/L  
 LC50 fish/96h: [4d] 690-1850; [48h] 1758-2420 mg/L  
 EC50 daphnia/48h: 70.2 mg/L  
 EC10 pseudomonas putida/16h: [72h] 11.8-33.5 mg/L  
 Water hazard class (DE): 1 WGK No.: 0788  
 Storage class (VCI): 12

#### 38 mL LT

Substance name: *1-dodecylpyridiniumchloride* CAS-Nr.: 104-74-5  
 Toxic to aquatic life with long lasting effects. Do not release into the environment.  
 Environmentally hazardous substances/mixtures up to 125 mL do not have to be labeled with H and P statements (EU 1272/2008 Annex I Paragraph 1.5.2).  
 Water hazard class (DE): 3  
 Storage class (VCI): 12-13

Substance name: *guanidinium thiocyanate* CAS-Nr.: 593-84-0  
 Harmful to aquatic life with long lasting effects. Do not release into the environment.  
 Environmentally hazardous substances/mixtures do not have to be labeled with P-phrases up to 125 mL (EU 1272/2008 Annex I Paragraph 1.5.2).  
 PNEC (fresh water): 42.4 µg/L  
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
 LC50 fish/96h: [4d] 89.1 mg/L  
 EC50 daphnia/48h: 42.4 mg/L  
 IC50 scenedesmus quadricauda/72h: 130 mg/L  
 EC10 pseudomonas putida/16h: [10d] 200 mg/L  
 Water hazard class (DE): 3  
 Storage class (VCI): 12

#### 6 mL B5

Substance name: *chemicals/mixture until 1%* CAS-Nr.: -  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

#### 30 mL BE

Substance name: *chemicals/mixture until 1%* CAS-Nr.: -  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 14/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

### 600 µL Liquid Proteinase K

Substance name: *glycerole* CAS-Nr.: 56-81-5  
 PNEC (fresh water): 0.885 mg/L  
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
 LC50 fish/96h: >5000 24h mg/L  
 EC50 daphnia/48h: >10 24h g/L  
 IC50 scenedesmus quadricauda/72h: IC5 7d >10 g/L  
 EC10 pseudomonas putida/16h: EC5: >10 g/L  
 Water hazard class (DE): 0  
 Storage class (VCI): 10

Substance name: *proteinase K, liquid* CAS-Nr.: 39450-01-6  
 Water hazard class (DE): 1  
 Storage class (VCI): 13

### 1 Bead Tube Type D

Substance name: *steel balls (CAS 7439-89-6)* CAS-Nr.: -

## 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

#### 30 mL BW

Substance name: *2-propanol* CAS-Nr.: 67-63-0  
 Dispersion coefficient (K<sub>o/w</sub>): 0,05  
 Substance name: *guanidinium thiocyanate* CAS-Nr.: 593-84-0  
 Dispersion coefficient (K<sub>o/w</sub>): -1,11 pH 5.1

#### 600 µL Liquid Proteinase K

Substance name: *glycerole* CAS-Nr.: 56-81-5  
 Dispersion coefficient (K<sub>o/w</sub>): -1,76

## 12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases.

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

UN 1993 class 3 III, **Excepted Quantities** (≤30 mL/Σ≤1 L) = ADR/ IATA E1

or

**14.1 UN number: 1993**

**14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol mixture)**

**14.3 Class: 3**

**14.4 Packing group: III**

Road transport ADR

Classification code: F1  
 Limited Quantity: 5 L  
 Tunnel restriction code: D/E



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 15/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

Excepted Quantity: E 1  
 Special instructions: 274, 601

*Air transport IATA DGR*  
 Limited Quantity: PAX: 355 max. quantity PAX: 60 L  
 CAO: 366 max. quantity CAO: 220 L  
 Excepted Quantity: E 1

*Maritime transport IMDG*  
 EmS: F-E, S-E Staukategorie: A  
 Special instructions: 223, 274, 955

## 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

## 14.6 Special precautions for user

not necessary

## 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
 TRGS 500, Protective measures, Mai 2008  
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015  
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

no data available

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.18.11.25 and 2.2.2.2 following changes were applied: - 16 product component data corrected - 9 composition data corrected - 23 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H Between versions 2.18.11.25 and 2.2.2.2 following changes were applied: - 16 product component data corrected - 9 composition data corrected - 23 substance data corrected

H226 Flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H336 May cause drowsiness or dizziness.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 16/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

**16.2.2 List of relevant P phrases**

- P260sh Do not breathe dust/vapours.
- P264 Wash hands thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280sh Wear protective gloves/eye protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P333+313 If skin irritation or rash occurs: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container to regulated waste treatment.

**16.3 Recommended restriction on use**

Only for professional user.  
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
 An individual package of this product or test kit has a moderate hazardous potential.

**16.4 Sources of key data**

- KÜHN, BIRETT, Leaflets on hazardous materials, 2021
- Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
- SUVA .CH, limit values in the air at work 2009, revised on 01/2009
- Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
- Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
- TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
- Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
- Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)
- Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
- Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
- Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
- TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
- Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
- Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
- Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
- Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
- Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
- Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

**revisions/updates**

- Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary*
- 2014-04 adjustment according Regulation 487/2013/EU*
- 2016-03 adjustment according Regulation 1221/2015/EU*
- 2017-11 adjustment according the ECHA registration dossier*
- 2022-11 adjustment according Regulation 878/2020/EU*

**16.5 Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

**16.6 Legend / Abbreviations**

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 740471.50	NucleoSpin DNA Lipid Tissue (50)	Page: 17/18
Printing date: 06.08.2025	Date of issue: 14.04.2025	Version: 2.18.11.25

CLP: Classification, Labelling and Packaging regulation  
 CMR: carcinogen, mutagen, reproduction toxic  
 Corr: corrosive  
 COD: chemical oxygen demand  
 CSCL: Chemical Substance Control Law (Jp)  
 Dam: damage  
 DNEL: Derived No-Effect Level (for workers)  
 derm: dermal  
 dog: dog  
 EC10: Concentration causing a toxic effect in 10% of the test organisms  
 EC: European Community  
 EC-Nr: Substance number of the EC substance inventory  
 EmS: Guide to accident management measures on ships  
 EU: European Union  
 fish: fish (not specified)  
 GHS: Global Harmonized System of Classification and Labeling of Chemicals  
 gpg: guinea pig  
 ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fisch, rainbow trout  
 orl: oral  
 OSHA: Occupational Safety and Health Administration  
 PAX: transport on passenger planes allowed  
 PBT: persistent, bioaccumulating, toxic substance  
 pH: pH value  
 pimephales promelas: fisch, fathead minnow  
 PNEC: Predicted No Effect Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rbt: rabbit  
 RD: rapidly degradable  
 RE: repeated  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
 REF: item number, reference number  
 Reg.No.: rRegistration number  
 Repr: harmful to reproduction  
 Resp: respiratory  
 RIP: REACH Implementations Projects  
 scu: sub cutan  
 SDS: safety data sheet  
 Sens: sensitisation  
 STEL: short term exposure limit  
 STOT: Specific Target Organ Toxicity  
 SVHC: Substance of Very High Concern  
 t/a: tons per year  
 TCCA: Toxic Chemicals Control Act (S. Korea)  
 Tox: toxic  
 TSCA: The Toxic Substances Control Act (US)  
 TWA: time weighted average  
 TRGS: technical regulations (DE)  
 vPvB: very persistent, very bioaccumulating substance



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740471.50

NucleoSpin DNA Lipid Tissue (50)

Page: 18/18

Printing date: 06.08.2025

Date of issue: 14.04.2025

Version: 2.18.11.25

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)