

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 1/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product Identifier / Product Name

REF 740595.150
 Product Name Buffer NTB (150 mL)
 1 x 150 mL NTB UFI: MMPT-631A-V206-GNTN

1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.
Uses advised against
 not described

1.3 Details of the Supplier and of the Safety Data Sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency Telephone Number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 USA: American Association Of Poison Control Centers
 Rockville, MD 20857. tel. 1-800-222-1222, <<https://www.poisonhelp.org>>
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730
 <<https://www.ggiz-erfurt.de>>
 You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

SECTION 2: Hazard(s) Identification

2.0 Classification of the complete Product



| Signal Word | WARNING |
|-----------------------|---------------------------|
| Hazard Identification | Hazard Classes/Categories |
| H226 | Flam. Liq. 3 |
| H302 | Acute Tox. 4 oral |
| H315 | Skin Irrit. 2 |
| H319 | Eye Irrit. 2 |
| H336 | STOT SE 3 |

2.1 Classification of the substance or mixture

150 mL NTB



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 2/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

| | |
|------------------------------|----------------------------------|
| Signal Word | WARNING |
| Hazard Identification | Hazard Classes/Categories |
| H226 | Flam. Liq. 3 |
| H302 | Acute Tox. 4 oral |
| H315 | Skin Irrit. 2 |
| H319 | Eye Irrit. 2 |
| H336 | STOT SE 3 |

List of H phrases: see section 16.2

2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

According the implementation of GHS immediate packages only must be labelled with product identifier(s), GHS symbol(s), signal word, manufacturer name and phone number (OSHA's interpretation of HCS 2012). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2) / **until 100 mL** (Canada WHMIS 2015). This labelling exemption does not apply to U.S.A.

150 mL NTB



Signal Word: WARNING
 H226, H302, H315, H319, H336
 Flammable liquid and vapor.Harmful if swallowed.Causes skin irritation.Causes serious eye irritation.May cause drowsiness or dizziness.
 P210, P260D, P264W, P280sh, P301+312, P330
 Do not breathe vapors.Wash with water thoroughly after handling.IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.Keep away from heat/sparks/open flames/hot surfaces. No smoking.Wear protective gloves/eye protection.Rinse mouth.

Label elements of the complete product



Signal Word: WARNING
 H226, H302, H315, H319, H336
 Flammable liquid and vapor.Harmful if swallowed.Causes skin irritation.Causes serious eye irritation.May cause drowsiness or dizziness.
 P210, P260D, P264W, P280sh, P301+312, P330
 Do not breathe vapors.Wash with water thoroughly after handling.IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.Keep away from heat/sparks/open flames/hot surfaces. No smoking.Wear protective gloves/eye protection.Rinse mouth.

2.3 Other Hazards

Possible Hazards from physicochemical Properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures with air.

Information pertaining to particular Risks to Human and possible Symptoms

Cause after oral intake, impairments of health when ingested in small quantities. May cause drowsiness or dizziness.

Information pertaining to particular Risks to the Environment

PBT: not applicable
vPvB: not applicable

Possible endocrine disrupting effects

data not available



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 740595.150
 Printing Date: 04.04.2023

Buffer NTB (150 mL)
 Date of Issue: 03.03.2023

Page: 3/10
 Version: 2.2.3.5

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

150 mL NTB

Substance name: *2-propanol*
 CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3
 Chemical Formula: C₃H₈O
 Synonyms (de): Isopropanol, IPA, Propan-2-ol
 REACH Reg. No.: 01-2119457558-25-XXXX
 EC No.: 200-661-7
 Concentration: 20 - <35 %
 acc. GHS: H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3

Indice No.: 603-117-00-0

Substance name: *guanidine hydrochloride*
 CAS No.: 50-01-1

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2
 Chemical Formula: CH₆CIN₃
 Synonyms (de): Guanidiniumchlorid
 REACH Reg. No.: 01-2119977063-35-0005
 EC No.: 200-002-3
 Concentration: 36 - <50 %
 acc. GHS: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Indice No.: 607-148-00-0

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of Hazard and Precaution phrases: see section 16.2.

SECTION 4: First-Aid Measures

4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of Vapors

After inhalation of foam or vapor fresh air should be inhaled. Keep airways free.

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralize it. Contact medical advice for possible consequences.

4.2 Most important Symptoms and Effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate Medical Attention and Special Treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive substance. Further treatment must to be carried out by an eye specialist. ---



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 740595.150
Printing Date: 04.04.2023

Buffer NTB (150 mL)
Date of Issue: 03.03.2023

Page: 4/10
Version: 2.2.3.5

SECTION 5: Fire-Fighting Measures

5.1 Extinguishable Media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

data not available

5.2 Special Hazards arising from the Substance or Mixture

WARNING: Flammable. May form explosive vapor-air mixtures. Formation of hazardous and caustic vapor-air mixtures possible.

5.3 Advice for Firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional Information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedure

Do not breathe vapors. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental Precautions

PBT: not applicable
vPvB: not applicable

6.3 Methods and Material for Containment and Cleaning up

Bind any escaping liquid with inert absorbent.

And dispose in accordance to local regulations for the disposal of hazards. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into sewer.

6.4 Reference to other Sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for Safe Storage, including any Incompatibilities

The original product package allows a safe storage. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific End Use(s)

Product for analytical use.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

150 mL NTB

Chemical: 2-propanol

CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 5/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

PNEC = Predicted No Effect Concentration

NIOSH: [TWA] 400 ppm / 980 mg/m³
 NIOSH STEL: 500 ppm / 1225 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1
 DNEL: [inh] 3.5 mg/m³
 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): -
 PNEC = Predicted No Effect Concentration

NIOSH: not listed
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8.2 Exposure Controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory Protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves (permeation time >30 min - level 2), consist of PVC.

8.2.3 Eye / Face Protection

Yes, Splash Goggles.

8.2.4 Skin Protection

Recommended to avoid contamination with these hazards.

8.2.5 Hygiene Measures

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

data not available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

150 mL NTB

| | |
|--------------------------------------|------------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | alcoholic |
| d) Melting Point: | data not available |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | 25 °C |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 7-8 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.06 g/cm ³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |



Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 740595.150
Printing Date: 04.04.2023

Buffer NTB (150 mL)
Date of Issue: 03.03.2023

Page: 6/10
Version: 2.2.3.5

9.2 Further Information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.
Properties relevant to substance groups

SECTION 10: Stability and Reactivity

10.1 Reactivity

No further data available.

10.2 Chemical Stability

no known instability.

10.3 Possibility of Hazardous Reactions

But avoid reactions with oxidizing agents. Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

But formation of explosive gases/vapours with air is possible. Use only in well ventilated rooms. No more required.

10.5 Incompatible Materials

Avoid storage with oxidizing substances. ---

10.6 Hazardous Decomposition Products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

150 mL NTB

| | | | |
|----------------------------|---|---------------------------|------------|
| Chemical: | <i>2-propanol</i> | CAS No.: | 67-63-0 |
| TSCA Inventory: | listed | California Prop. 65 List: | not listed |
| ACGIH: | 1230 ppm | | |
| Exposure Routes: | inhalation, ingestion, skin and/or eye contact | | |
| Target Organs: | Eyes, skin, respiratory system | | |
| Symptoms: | irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis | | |
| Canada CEPA 1999: | DSL yes | | |
| LD50 orl rat : | 5045 mg/kg | | |
| LC ₅₀ orl hmn : | 3570 mg/kg | | |
| LC50 ihl rat : | 25 mg/L/4H | | |

| | | | |
|-------------------|---|---------------------------|------------|
| Chemical: | <i>guanidine hydrochloride</i> | CAS No.: | 50-01-1 |
| TSCA Inventory: | listed | California Prop. 65 List: | not listed |
| Canada CEPA 1999: | DSL yes | | |
| LD50 orl rat : | 475-907 mg/kg | | |
| LC50 ihl rat : | 3181-7655 µg/m ³ /4H | | |
| Acute Effects: | Cause after oral intake, impairments of health when ingested in small quantities. | | |

11.2 Other Hazards

Possible endocrine disrupting effects

data not available

Other Information

no additional data available

SECTION 12: Ecological Information

12.1 Toxicity

Following information is valid for pure chemicals.

150 mL NTB



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 7/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

Chemical: *2-propanol* CAS No.: 67-63-0
 PNEC (fresh water) : 140.9 mg/L
 PNEC = Predicted No Effect Concentration
 LC50 fish/96h : 1400 mg/L
 EC50 daphnia/48h : 13.3 g/L
 IC50 scenedesmus quadricauda/72h : >1000 mg/L
 EC10 pseudomonas putita/16h : EC5: 1050 mg/L
 Partition Coefficient (o/w) : 0,05

Chemical: *guanidine hydrochloride* CAS No.: 50-01-1
 PNEC (fresh water) : -
 PNEC = Predicted No Effect Concentration
 LC50 leuciscus idus/96h : 1759 mg/L
 LC50 fish/96h : [4d] 690-1850; [48h] 1758-2420 mg/L
 EC50 daphnia/48h : 70.2 mg/L
 EC10 pseudomonas putita/16h : [72h] 11.8-33.5 mg/L

12.2 Persistence and Degradability

not necessary

12.3 Bioaccumulative Potential

not necessary

12.4 Mobility in Soil

not necessary

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

data not available

12.7 Other Adverse Effects

no additional data available

SECTION 13: Disposal Considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (RCRA Code D002/D003, EU waste code number 16 05 06).

13.1 Waste Treatment Methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport Information

14.1. UN/NA: 1993 14.2. Proper Shipping Name: Flammable liquid, n.o.s. (2-propanol mixture)

14.3. Hazard Class: 3 14.4. Packing Group: III

Transportation by Road

Classification code: F1
 Limited Quantity: 5 L Tunnel restriction code: D/E
 Excepted Quantity: E 1 Special instructions: 640E

Air Transportation

Limited Quantity: LQ 7
 Excepted Quantity: E 1
 PAX: 355 max. weight PAX: 60 L
 CAO: 366 max. weight CAO: 220 L

Maritime Transport

EmS: F-E, S-E Storage Category: A

14.5 Environmental Hazards

none, contains only small quantities of hazardous substances



Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 8/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

14.6 Special Precautions for User

not necessary

14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

<https://www.osha.gov/dsg/hazcom/ghs.html>

29 CFR 1910.1200 Hazard communication.

NIOSH Pocket Guide to Chemical Hazards

NIOSH Workplace Safety & Health Topics

TSCA Inventory

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

Canada

Canada CEPA 1999 - Domestic Substances List (DSL), List of Toxic Substances (Schedule 1)

MN Leaflet/User manual, also see www.mn-net.com

15.2 Chemical Safety Assessment

not necessary for these small amounts

SECTION 16: Other Information

16.1 Changes compared to the last version

Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected

16.2 List of Hazard and Precaution Phrases

16.2.1 List of relevant H Phrases

| | |
|------|------------------------------------|
| H226 | Flammable liquid and vapor. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |

16.2.2 List of relevant P Phrases

| | |
|----------|--|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P260D | Do not breathe vapors. |
| P264W | Wash with water thoroughly after handling. |
| P280sh | Wear protective gloves/eye protection. |
| P301+312 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. |
| P330 | Rinse mouth. |

16.3 Recommended Restriction on Use

Only for Professional User.

Look about employee restrictions for young people!

Look about employee restrictions for pregnant women and nursing women!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of Key Data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019



MACHEREY-NAGEL GmbH & Co. KG
 Valenciennes Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 9/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU

 2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxygen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not specified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|---------------------------|------------------|
| REF: 740595.150 | Buffer NTB (150 mL) | Page: 10/10 |
| Printing Date: 04.04.2023 | Date of Issue: 03.03.2023 | Version: 2.2.3.5 |

- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fish, fathead minnow
- PNEC: Predicted No Effect Concentration
- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride
- quail: bird, quail
- rat: rat
- rbt: rabbit
- RD: rapidly degradable
- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- scu: sub cutan
- RIP: REACH Implementations Projects
- SDS: safety data sheet
- Sens: sensitisation
- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com