CHEREY-NAGE

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 1/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product Identifier / Product Name**

RFF Product Name

740922 Buffer BW (100 mL)

1 x 100 mL BW

UFI: MMPT-631A-V206-GNTN

1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the Supplier and of the Safety Data Sheet

Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency Telephone Number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. USA: American Association Of Poison Control Centers Rockville, MD 20857. tel. 1-800-222-1222, <https://www.poisonhelp.org> DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

<https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard(s) Identification

2.0 **Classification of the complete Product**



Signal Word	WARNING
Hazard Identification	Hazard Classes/Categories
H226 H302 H315 H319 H336	Flam. Liq. 3 Acute Tox. 4 oral Skin Irrit. 2 Eye Irrit. 2 STOT SE 3

2.1 Classification of the substance or mixture

100 mL BW





MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 2/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5
Signal Word	WARNING	
Hazard Identification	Hazard Classes/Categories	
H226	Flam. Liq. 3	
H302	Acute Tox. 4 oral	
H315	Skin Irrit. 2	
H319	Eye Irrit. 2	
H336	STOT SE 3	

List of H phrases: see section 16.2

2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture According the implementation of GHS immediate packages only must be labelled with product identificator(s), GHS symbol(s), signal

word, manufacturer name and phone number (OSHA's interpretation of HCS 2012). Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I -1.5.2) / until 100 mL (Canada WHMIS 2015). This labelling exemption does not apply to U.S.A.

100 mL BW



Signal Word: WARNING

Label elements of the complete product



Signal Word: WARNING

2.3 Other Hazards

Possible Hazards from physicochemical Properties In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

Information pertaining to particular Risks to Human and possible Symptoms Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular Risks to the Environment

Possible endocrine disrupting effects data not available

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100 mL BW

Substance name: CAS No .:

2-propanol 67-63-0

Substance rating: Chemical Formula:	H225, Flam. Liq. 2, H319, Eye Ir C ₃ H ₈ O	rit. 2, H336, STOT SE 3	
Synonyms (de):	Isopropanol, IPA, Propan-2-ol		
REACH Reg. No.:	01-2119457558-25-XXXX		
EC No.:	200-661-7	Indice No.:	603-117-00-0
Concentration:	20 - <35 %		
acc. GHS:	H226, Flam. Liq. 3, H319, Eye Ir	rit. 2, H336, STOT SE 3	



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



SDS acc. Hazard Communication Standard

REF: 740922		Buffer BW (100 r	nL)		Page: 3/10
Printing Date: 04	.04.2023	Date of Issue: 03.03.2023			Version: 2.2.3.5
	Substance name: CAS No.:	guanidine hydrochloride 50-01-1			
	Substance rating: Chemical Formula: Synonyms (de): REACH Reg. No.:	H302, Acute Tox. 4 oral, H315 CH ₆ ClN ₃ Guanidiniumchlorid 01-2119977063-35-0005	, Skin Irrit. 2, H319, Ey	e Irrit. 2	
	EC No.: Concentration:	200-002-3 36 - <50 %	Indice No.:	607-148-00-0	
	acc. GHS:	H302, Acute Tox. 4 oral, H315	, Skin Irrit. 2, H319, Ey	e Irrit. 2	
3.3 Rema	arks				

SECTION 4: First-Aid Measures

4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

16.2

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of Hazard and Precaution phrases: see section

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of Vapors

After inhalation of foam or vapor fresh air should be inhaled. Keep airways free.

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important Symptoms and Effects, both acute and delayed

4.3 Indication of any immediate Medical Attention and Special Treatment needed No additionally recommendations. ---

SECTION 5: Fire-Fighting Measures

5.1 Extinguishable Media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

data not available

5.2 Special Hazards arising from the Substance or Mixture

WARNING: Flammable. May form explosive vapor-air mixtures. Formation of hazardous and caustic vapor-air mixtures possible.

5.3 Advice for Firefighters

No, for listed product.Product package burns like paper or plastic.

5.4 Additional Information



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com





SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 4/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

SECTION 6: Accidental Release Measures

 6.1 Personal Precautions, Protective Equipment and Emergency Procedure Do not breathe vapors. Regular staff training is necessary.
 6.2 Environmental Precautions

not necessary

- 6.3 Methods and Material for Containment and Cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into sewer.
- 6.4 Reference to other Sections

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2
 Conditions for Safe Storage, including any Incompatibilities

 The original product package allows a safe storage. Storage class (German chemical industry): see chapter 12.1

 Storage class (VCI):
 3

 Water hazard class (DE):
 1
- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.

7.3 Specific End Use(s)

Product for analytical use.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

100 mL BW Chemical: 2-propanol DNEL: DNEL = Derived No-Effec	[inh] 500 mg/m³ t Level (for workers)	CAS No.: 67-63-0
PNEC (fresh water) : PNEC = Predicted No Effe	140.9 mg/L ected Concentration	
NIOSH: NIOSH STEL: [TWA] Time-weighted ave	[TWA] 400 ppm / 980 mg/m³ 500 ppm / 1225 mg/m³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit re	elated to a 15-minute period
OSHA:	[TWA] 400 ppm / 980 mg/m³	
Chemical: <i>guanidine hyd</i> DNEL: DNEL = Derived No-Effec	[inh] 3.5 mg/m³	CAS No.: 50-01-1
PNEC (fresh water) : PNEC = Predicted No Effe	- ected Concentration	
NIOSH: [TWA] Time-weighted ave	not listed rage to a reference period of 8 hours, [STEL] Short-term exposure limit re	elated to a 15-minute period
OSHA:	not listed	

8.2 Exposure Controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory Protection

No additional recommendations.

8.2.2 Skin protection / Hand protection Ves. gloves (permeation time > 30 min - lev)

Yes, gloves (permeation time >30 min - level 2), consist of PVC.

8.2.3 Eye / Face Protection

Yes, Splash Goggles.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

SDS acc. Hazard Communication Standard

REF: 74	40922	Buffer BW (100 mL)	Page: 5/10
Printing) Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5
8.2.4	Skin Protection Not necessary.		
8.2.5	with the skin, eyes and clothing. Rinse	and storage of food in work areas and at outdoor work any clothing on which the substance has been spilled, stopping work and before eating, and then apply protec	and soak it in water. Wash hands
8.2.6	Thermal hazards data not available		
8.3	Limitation and monitoring of environment.	vironmental exposure	
SECT	ION 9: Physical and Chemica	al Properties	
9.1	Information on Basic Physical a	nd Chemical Properties	
	100 mL BW		
	a) State of aggregation: b) Color:	liquid colorless	
	c) Odor:	alcoholic	
	d) Melting Point:	data not available	
	e) Boiling Point:	data not available	
	f) Flammability:	data not available	
	g) Explosive Limits (lower / upper): h) Flash Point:	data not available 25 °C	
	i) Autoignition Temperature:	data not available	
	j) Decomposition Temperature:	data not available	
	k) pH Value: I) Kinematic Viscosity:	7-8	
	m) Soluble in Water:	data not available	
	n) Partition Coefficient (o/w) :	data not available data not available	
	(0,0) Vanor Pressure (68°F):		

 m) Soluble in Water:
 data not available

 n) Partition Coefficient (o/w):
 data not available

 o) Vapor Pressure (68°F):
 data not available

 p) Specific Gravity:
 1.06 g/cm³

 q) Relative Vapor Density (air=1):
 data not available

 r) Particle Size:
 data not available

9.2 Further Information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups**

SECTION 10: Stability and Reactivity

10.1 Reactivity

No further data available.

10.2 Chemical Stability no known instability.

10.3 Possibility of Hazardous Reactions

Can form very reactive substances with oxidizing agents. No further data available.

- 10.4 Conditions to avoid
- 10.5 Incompatible Materials

10.6 Hazardous Decomposition Products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 6/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

100 mL BW Chemical: TSCA Inventory:	2-propanol listed	California Prop. 65 List: not listed	CAS No.: 67-63-0
ACGIH:	1230 ppm		
Exposure Routes:	inhalation, ingestion	, skin and/or eye contact	
Target Organs:	Eves, skin, respirato	bry system	
Symptoms:	irritation eyes, nose,	throat; drowsiness, dizziness, heada	che; dry cracking skin; in animals: narcosis
Canada CEPA 1999	DSL yes		
LD50 orl rat :	5045 mg/kg		
LC Low orl hmn :	3570 mg/kg		
LC50 ihl rat :	25 mg/Ľ/4H		
Chemical:	guanidine hydrochloride		CAS No.: 50-01-1
TSCA Inventory:	listed	California Prop. 65 List: not listed	
Canada CEPA 1999	DSL yes		

11.2 Other Hazards

LD50 orl rat :

LC50 ihl rat :

Possible endocrine disrupting effects data not available Other Information

475-907 mg/kg 3181-7655 µg/m³/4H

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

no additional data available

SECTION 12: Ecological Information

12.1 Toxicity

Following information is valid for pure chemicals.

100 mL BW Chemical: 2-propanol PNEC (fresh water) : PNEC = Predicted No Effected Concentratio	140.9 mg/L n	CAS No.: 67-63-0
LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Partition Coefficient (o/w) :	1400 mg/L 13.3 g/L >1000 mg/L EC5: 1050 mg/L 0,05	
Chemical: guanidine hyd PNEC (fresh water) : PNEC = Predicted No Effected Concentratio LC50 leuciscus idus/96h :	-	CAS No.: 50-01-1

[4d] 690-1850; [48h] 1758-2420 mg/L

70.2 mg/L

[72h] 11.8-33.5 mg/L

12.2 Persistence and Degradability

EC10 pseudomonas putita/16h :

not necessary

12.3 Bioaccumulative Potential

LC50 fish/96h :

EC50 daphnia/48h :

not necessary

12.4 Mobility in Soil

not necessary

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.1.5



SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 7/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

12.6 Endocrine disrupting properties

data not available

12.7 Other Adverse Effects

no additional data available

SECTION 13: Disposal Considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (RCRA Code D002/D003, EU waste code number 16 05 06).

13.1 Waste Treatment Methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport Information

14.1. UN/NA: 14.3. Hazard Class			Proper Shipping Name: Fla Packing Group: III	ammable liquid, n.o.s	. (2-propanol mixture)
Transportation by Ro	oad				
Classification code:	F1				
Limited Quantity:	5 L		Tunnel restriction code:	D/E	
Excepted Quantity:	E 1		Special instructions: 640E		
Air Transportation					
Limited Quantity:		LQ 7			
Excepted Quantity:		E 1			
PAX:		355		max. weight PAX:	60 L
CAO:		366		max. weight CAO:	220 L
Maritime Transport				5	
EmS:	F-E, S-	E	Storage Category: A		

14.5 Environmental Hazards

none, contains only small quantities of hazardous substances

- 14.6 Special Precautions for User not necessary
- **14.7** Carriage of bulk cargo by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" https://www.osha.gov/dsg/hazcom/ghs.html 29 CFR 1910.1200 Hazard communication. NIOSH Pocket Guide to Chemical Hazards NIOSH Workplace Safety & Health Topics TSCA Inventory **U.S. State Regulations** California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 **Canada** Canada CEPA 1999 - Domestic Substances List (DSL), List of Toxic Substances (Schedule 1)

MN Leaflet/User manual, also see www.mn-net.com

15.2 Chemical Safety Assessment not necessary for these small amounts



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 8/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

SECTION 16: Other Information

16.1 Changes compared to the last version

Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected

16.2 List of Hazard and Precaution Phrases

List of releva	nt H Phrases
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
List of valous	nt D. Dhraces

16.2.2 List of relevant P Phrases

16.3 Recommended Restriction on Use

Only for Professional User.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of Key Data

16.2.1

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA['].CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according ADR: Convention concerning the International Carriage of Dangerous Goods by Road Act: acute biological workplace tolerance value BAT: CAO: Cargo Aircraft Only carcinogen Carc: Chemical Abstracts Service CAS: Classification, Labelling and Packaging regulation CLP: CMR: carcinogen, mutagen, reproduction toxic Corr: corrosive



MACHEREY-NAGEL GmbH & Co. KGDETel.: +49 24 21 969-0info@mn-net.comValencienner Str. 11CHTel.: +41 62 388 55 00sales-ch@mn-net.com52355 Düren · GermanyFRTel.: +33 388 68 22 68sales-fr@mn-net.comwww.mn-net.comUSTel.: +1 888 321 62 24sales-us@mn-net.com

MACHEREY-NAGEL

Safety Data Sheet


SDS acc. Hazard Communication Standard

Buffer BW (100 mL)	Page: 9/10
Date of Issue: 03.03.2023	Version: 2.2.3.5
	· · · · · · · · · · · · · · · · · · ·

COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICÃO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
İSHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
, pimephales p	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
scu:	sub cutan
RIP:	REACH Implementations Projects
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



MACHEREY-NAGEL



Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 740922	Buffer BW (100 mL)	Page: 10/10
Printing Date: 04.04.2023	Date of Issue: 03.03.2023	Version: 2.2.3.5

16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com