

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 1/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product Identifier / Product Name

| | | |
|-----------------------------|-----------------------------|--------------------------|
| REF | 744402.1 | |
| Product Name | NucleoMag 384 Plant (1x384) | |
| 1 x 30 mL MC6 | | |
| 1 x 60 mL MC5 | | |
| 1 x 50 mL MC2 | | UFI: JRCV-E309-S20K-0VHT |
| 2 x 1.5 mL V-Beads | | |
| 2 x 60 mL MC1 | | |
| 1 x 75 mL MC3 | | UFI: 8X9V-S3GY-C206-3Q9F |
| 1 x 75 mL MC4 | | UFI: H0AV-936C-N20Q-S1VH |
| 2 x 25-100 mg RNase A (lyo) | | UFI: WWJV-U3PV-U207-MFGF |

1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the Supplier and of the Safety Data Sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency Telephone Number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

USA: American Association Of Poison Control Centers

Rockville, MD 20857, tel. 1-800-222-1222, <<https://www.poisonhelp.org>>

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730

<<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard(s) Identification

2.0 Classification of the complete Product



GHS02

GHS07

GHS08

Signal Word

DANGER

Hazard Identification

Hazard Classes/Categories

| | |
|------|-------------------|
| H225 | Flam. Liq. 2 |
| H302 | Acute Tox. 4 oral |
| H319 | Eye Irrit. 2 |
| H334 | Resp. Sens. 1 |
| H336 | STOT SE 3 |

2.1 Classification of the substance or mixture

75 mL MC3



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 2/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7



GHS02

GHS07

Signal Word

WARNING

Hazard Identification

Hazard Classes/Categories

H226
H302

Flam. Liq. 3
Acute Tox. 4 oral

75 mL MC4



GHS02

GHS07

Signal Word

WARNING

Hazard Identification

Hazard Classes/Categories

H226
H302

Flam. Liq. 3
Acute Tox. 4 oral

50 mL MC2



GHS02

GHS07

Signal Word

DANGER

Hazard Identification

Hazard Classes/Categories

H225
H319
H336

Flam. Liq. 2
Eye Irrit. 2
STOT SE 3

60 mL MC1

Signal Word

Do not need labelling as hazardous

No Hazard Class

25-100 mg RNase A (Iyo)



GHS08

Signal Word

DANGER

Hazard Identification

Hazard Classes/Categories

H334

Resp. Sens. 1



Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 3/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

30 mL MC6

Signal Word Do not need labelling as hazardous
-
No Hazard Class

60 mL MC5

Signal Word Do not need labelling as hazardous
-
No Hazard Class

1.5 mL V-Beads

Signal Word Do not need labelling as hazardous
-
No Hazard Class

List of H phrases: see section 16.2

2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

According the implementation of GHS immediate packages only must be labelled with product identifier(s), GHS symbol(s), signal word, manufacturer name and phone number (OSHA's interpretation of HCS 2012). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2) / **until 100 mL** (Canada WHMIS 2015). This labelling exemption does not apply to U.S.A. This labelling exemption is NOT valid for sensiblizing substances.

75 mL MC3



Signal Word: WARNING

75 mL MC4



Signal Word: WARNING

50 mL MC2



Signal Word: DANGER

60 mL MC1

Do not need labelling as hazardous
Signal Word: -

25-100 mg RNase A (Iyo)



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 4/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

Signal Word: DANGER
H334
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P261sh, P342+311
Avoid breathing dust/vapors.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

30 mL MC6
Do not need labelling as hazardous
Signal Word: -

60 mL MC5
Do not need labelling as hazardous
Signal Word: -

1.5 mL V-Beads
Do not need labelling as hazardous
Signal Word: -

Label elements of the complete product



Signal Word: DANGER
H334
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P261sh, P342+311
Avoid breathing dust/vapors.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other Hazards

Possible Hazards from physicochemical Properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

Information pertaining to particular Risks to Human and possible Symptoms

Cause after oral intake, impairments of health when ingested in small quantities. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Kit contains small amounts of enzymes, which may cause sensitization by direct and repeated contact.

Information pertaining to particular Risks to the Environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

50 mL MC2
Substance name: *2-propanol*
CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3
Chemical Formula: C₃H₈O
Synonyms (de): Isopropanol, IPA, Propan-2-ol
REACH Reg. No.: 01-2119457558-25-XXXX
EC No.: 200-661-7
Concentration: 95 - <100 %
acc. GHS: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3

Indice No.: 603-117-00-0

25-100 mg RNase A (Iyo)



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 5/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

Substance name: *RNase*
 CAS No.: 9001-99-4

Substance rating: H334, Resp. Sens. 1
 Chemical Formula: Enzyme Comm. No. 3.1.27.5, origin: bovine pancreas (controlled population)
 Synonyms (de): RNase A
 EC No.: 232-646-6
 Concentration: 90 - <100 %
 acc. GHS: H334, Resp. Sens. 1

30 mL MC6

Substance name: *chemicals/mixture until 1%*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical is not required.
 Concentration: 0,1 - <1 %
 acc. GHS: The criteria for classification are not fulfilled.

60 mL MC5

Substance name: *chemicals/mixture until 1%*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical is not required.
 Concentration: 0,1 - <1 %
 acc. GHS: The criteria for classification are not fulfilled.

1.5 mL V-Beads

Substance name: *magnetic particles, suspended in water*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical is not required.
 Synonyms (de): magnetic beads
 Concentration: 1 - <15 %
 acc. GHS: The criteria for classification are not fulfilled.

75 mL MC3

Substance name: *sodium perchlorate*
 CAS No.: 7601-89-0

Substance rating: H271, Ox. Sol. 1, H302, Acute Tox. 4 oral
 Chemical Formula: NaClO₄
 Synonyms (de): Perchlorat (fest)
 REACH Reg. No.: 01-2119540521-50-xxxx
 EC No.: 231-511-9
 Concentration: 15 - <40 %
 acc. GHS: H302, Acute Tox. 4 oral

Indice No.: 017-010-00-6

Substance name: *ethanol*
 CAS No.: 64-17-5
 (denatured with 1% 2-butanone)

Substance rating: H225, Flam. Liq. 2
 Chemical Formula: C₂H₆O; C₂H₅OH
 Synonyms (de): Äthylalkohol, vergällter Spiritus
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 Concentration: 20 - <35 %
 acc. GHS: H226, Flam. Liq. 3

Indice No.: 603-002-00-5

75 mL MC4



Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 6/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

Substance name: *sodium perchlorate*
 CAS No.: 7601-89-0

Substance rating: H271, Ox. Sol. 1, H302, Acute Tox. 4 oral
 Chemical Formula: NaClO₄
 Synonyms (de): Perchlorat (fest)
 REACH Reg. No.: 01-2119540521-50-xxxx
 EC No.: 231-511-9
 Concentration: 15 - <40 %
 acc. GHS: H302, Acute Tox. 4 oral

Index No.: 017-010-00-6

Substance name: *ethanol*
 CAS No.: 64-17-5
 (denatured with 1% 2-butanone)

Substance rating: H225, Flam. Liq. 2
 Chemical Formula: C₂H₆O; C₂H₅OH
 Synonyms (de): Äthylalkohol, vergällter Spiritus
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 Concentration: 20 - <35 %
 acc. GHS: H226, Flam. Liq. 3

Index No.: 603-002-00-5

60 mL MC1

Substance name: *sodium chloride*
 CAS No.: 7647-14-5

Substance rating: No criteria for classification or naming of chemical is not required.
 Chemical Formula: NaCl
 Synonyms (de): Kochsalz
 REACH Reg. No.: exempt, Annex V
 EC No.: 231-598-3
 Concentration: 5 - <10 %
 acc. GHS: The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of Hazard and Precaution phrases: see section 16.2.

SECTION 4: First-Aid Measures

4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

- 4.1.1 **After SKIN Contact**
Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.
- 4.1.2 **After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).
- 4.1.3 **After INHALATION of Vapors**
After inhalation of foam or vapor fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function.
- 4.1.4 **After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important Symptoms and Effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization.



Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 7/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

4.3 Indication of any immediate Medical Attention and Special Treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Fire-Fighting Measures

5.1 Extinguishable Media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

data not available

5.2 Special Hazards arising from the Substance or Mixture

DANGER: Highly flammable. Forms explosive vapor-air mixtures. Formation of hazardous and caustic vapor-air mixtures possible.

5.3 Advice for Firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedure

Do not breathe vapors. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental Precautions

PBT: not applicable

vPvB: not applicable

6.3 Methods and Material for Containment and Cleaning up

Bind any escaping liquid with inert absorbent.

And dispose in accordance to local regulations for the disposal of hazards. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into sewer.

6.4 Reference to other Sections

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for Safe Storage, including any Incompatibilities

The original product package allows a safe storage. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific End Use(s)

Product for analytical use.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

50 mL MC2

Chemical: 2-propanol

CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L

PNEC = Predicted No Effect Concentration



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 8/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

NIOSH: [TWA] 400 ppm / 980 mg/m³
 NIOSH STEL: 500 ppm / 1225 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: [TWA] 400 ppm / 980 mg/m³

25-100 mg RNase A (Iyo)

Chemical: *RNase* CAS No.: 9001-99-4

30 mL MC6

Chemical: *chemicals/mixture until 1%* CAS No.: -

60 mL MC5

Chemical: *chemicals/mixture until 1%* CAS No.: -

1.5 mL V-Beads

Chemical: *magnetic particles, suspended in water* CAS No.: -

75 mL MC3

Chemical: *sodium perchlorate* CAS No.: 7601-89-0

DNEL: [derm] 2.16 mg/kg bw/day; [inh] 0.28 mg/m³

DNEL = Derived No-Effect Level (for workers)

NIOSH: not listed
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
 PNEC = Predicted No Effect Concentration

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

75 mL MC4

Chemical: *sodium perchlorate* CAS No.: 7601-89-0

DNEL: [derm] 2.16 mg/kg bw/day; [inh] 0.28 mg/m³

DNEL = Derived No-Effect Level (for workers)

NIOSH: not listed
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
 PNEC = Predicted No Effect Concentration

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

60 mL MC1

Chemical: *sodium chloride* CAS No.: 7647-14-5

8.2 Exposure Controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory Protection

Use for open access of these substances for example a vapor/dust respirator, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection



Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 9/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

Yes, gloves (permeation time >30 min - level 2), consist of PVC, Natural latex, Neopren, or Nitril. Use for short times chemical resistant Latex gloves f.ex. with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, Splash Goggles.

8.2.4 Skin Protection

Recommended to avoid contamination with these hazards.

8.2.5 Hygiene Measures

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

data not available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

50 mL MC2

| | |
|--------------------------------------|------------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | alcoholic |
| d) Melting Point: | -90 °C |
| e) Boiling Point: | 82 °C |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | 2-12.7 Vol% |
| h) Flash Point: | 12 °C |
| i) Autoignition Temperature: | 425 °C |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | data not available |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | 0-100 % |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | 43 hPa |
| p) Specific Gravity: | 0.78 g/cm ³ |
| q) Relative Vapor Density (air=1) : | 2.08 |
| r) Particle Size: | data not available |

25-100 mg RNase A (lyo)

| | |
|--------------------------------------|---------------------|
| a) State of aggregation: | solid (lyophilized) |
| b) Color: | colorless |
| c) Odor: | odorless |
| d) Melting Point: | data not available |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | data not available |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | data not available |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | 0-100 % |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | data not available |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |



Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 10/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

30 mL MC6

| | |
|--------------------------------------|-----------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | odorless |
| d) Melting Point: | 0 °C |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | data not available |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 8-9 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.0 g/cm ³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

60 mL MC5

| | |
|--------------------------------------|-----------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | odorless |
| d) Melting Point: | 0 °C |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | data not available |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 8-9 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.0 g/cm ³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

1.5 mL V-Beads

| | |
|--------------------------------------|--------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | odorless |
| d) Melting Point: | data not available |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | data not available |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | data not available |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | data not available |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

75 mL MC3

| | |
|--------------------------|--------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | alcoholic |
| d) Melting Point: | data not available |



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 11/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

| | |
|--------------------------------------|--------------------|
| e) Boiling Point: | 83,6 °C |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | 26 °C |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 4.5-5.5 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.06 g/cm³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

75 mL MC4

| | |
|--------------------------------------|--------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | alcoholic |
| d) Melting Point: | data not available |
| e) Boiling Point: | 83,6 °C |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | 26 °C |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 4.5-5.5 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.06 g/cm³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

60 mL MC1

| | |
|--------------------------------------|--------------------|
| a) State of aggregation: | liquid |
| b) Color: | colorless |
| c) Odor: | odorless |
| d) Melting Point: | data not available |
| e) Boiling Point: | data not available |
| f) Flammability: | data not available |
| g) Explosive Limits (lower / upper): | data not available |
| h) Flash Point: | data not available |
| i) Autoignition Temperature: | data not available |
| j) Decomposition Temperature: | data not available |
| k) pH Value: | 7.5-8.5 |
| l) Kinematic Viscosity: | data not available |
| m) Soluble in Water: | data not available |
| n) Partition Coefficient (o/w) : | data not available |
| o) Vapor Pressure (68°F): | data not available |
| p) Specific Gravity: | 1.06 g/cm³ |
| q) Relative Vapor Density (air=1) : | data not available |
| r) Particle Size: | data not available |

9.2 Further Information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Properties relevant to substance groups

Substances are highly volatile and form flammable gas-air mixtures.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciennes Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 12/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

SECTION 10: Stability and Reactivity

10.1 Reactivity

No further data available.

10.2 Chemical Stability

no known instability.

10.3 Possibility of Hazardous Reactions

No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible Materials

10.6 Hazardous Decomposition Products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

50 mL MC2

Chemical: *2-propanol* CAS No.: 67-63-0
 TSCA Inventory: listed California Prop. 65 List: not listed
 ACGIH: 1230 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis
 Canada CEPA 1999: DSL yes
 LD50 orl rat : 5045 mg/kg
 LC_{Low} orl hmn : 3570 mg/kg
 LC50 ihl rat : 25 mg/L/4H

25-100 mg RNase A (Iyo)

Chemical: *RNase* CAS No.: 9001-99-4
 TSCA Inventory: listed
 Acute Effects: Cause after impairments of health when ingested in small quantities.
 Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

30 mL MC6

Chemical: *chemicals/mixture until 1%* CAS No.: -
 TSCA Inventory: all listed, <1%

60 mL MC5

Chemical: *chemicals/mixture until 1%* CAS No.: -
 TSCA Inventory: all listed, <1%

1.5 mL V-Beads

Chemical: *magnetic particles, suspended in water* CAS No.: -
 TSCA Inventory: listed (CAS 1309-38-2)

75 mL MC3

Chemical: *sodium perchlorate* CAS No.: 7601-89-0
 TSCA Inventory: listed California Prop. 65 List: not listed
 Canada CEPA 1999: DSL Yes
 LD50 orl rat : 2100 mg/kg
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
 Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Prop. 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact



Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 13/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Canada CEPA 1999: DSL yes
 LD50 orl rat : 6200 mg/kg
 LC_{Low} ihl gpg : 21,900 mg/L
 LC_{Low} orl hmn : 1400 mg/kg
 LC50 ihl mus : 123,4 mg/L/4H
 LC50 ihl rat : 115,9-133,8 mg/L/4H
 LD50 orl mus : 3450 mg/kg

75 mL MC4

Chemical: *sodium perchlorate* CAS No.: 7601-89-0
 TSCA Inventory: listed California Prop. 65 List: not listed
 Canada CEPA 1999: DSL Yes
 LD50 orl rat : 2100 mg/kg
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Prop. 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Canada CEPA 1999: DSL yes
 LD50 orl rat : 6200 mg/kg
 LC_{Low} ihl gpg : 21,900 mg/L
 LC_{Low} orl hmn : 1400 mg/kg
 LC50 ihl mus : 123,4 mg/L/4H
 LC50 ihl rat : 115,9-133,8 mg/L/4H
 LD50 orl mus : 3450 mg/kg

60 mL MC1

Chemical: *sodium chloride* CAS No.: 7647-14-5
 TSCA Inventory: listed
 LD50 orl rat : 3000 mg/kg

11.2 Other Hazards

Possible endocrine disrupting effects

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Other Information

no additional data available

SECTION 12: Ecological Information

12.1 Toxicity

Following information is valid for pure chemicals.

50 mL MC2

Chemical: *2-propanol* CAS No.: 67-63-0
 PNEC (fresh water) : 140.9 mg/L
 PNEC = Predicted No Effect Concentration
 LC50 fish/96h : 1400 mg/L
 EC50 daphnia/48h : 13.3 g/L
 IC50 scenedesmus quadricauda/72h : >1000 mg/L
 EC10 pseudomonas putita/16h : EC5: 1050 mg/L
 Partition Coefficient (o/w) : 0,05

25-100 mg RNase A (Iyo)

Chemical: *RNase* CAS No.: 9001-99-4



Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 14/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

30 mL MC6

Chemical: *chemicals/mixture until 1%* CAS No.: -

60 mL MC5

Chemical: *chemicals/mixture until 1%* CAS No.: -

1.5 mL V-Beads

Chemical: *magnetic particles, suspended in water* CAS No.: -

75 mL MC3

Chemical: *sodium perchlorate* CAS No.: 7601-89-0

Chemical: *ethanol* CAS No.: 64-17-5

PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration
 LC50 daphnia magna/48h : >100 g/L
 LC50 pimephales promelas/96h : 13.4-15.1 g/L
 LC50 leuciscus idus/96h : [48h] 8.14 g/L
 LC50 fish/96h : 13 g/L
 EC50 daphnia/48h : 9.3-14.2 g/L
 IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10 pseudomonas putita/16h : [EC5] 6500 mg/L
 Partition Coefficient (o/w) : -0,31

75 mL MC4

Chemical: *sodium perchlorate* CAS No.: 7601-89-0

Chemical: *ethanol* CAS No.: 64-17-5

PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration
 LC50 daphnia magna/48h : >100 g/L
 LC50 pimephales promelas/96h : 13.4-15.1 g/L
 LC50 leuciscus idus/96h : [48h] 8.14 g/L
 LC50 fish/96h : 13 g/L
 EC50 daphnia/48h : 9.3-14.2 g/L
 IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10 pseudomonas putita/16h : [EC5] 6500 mg/L
 Partition Coefficient (o/w) : -0,31

60 mL MC1

Chemical: *sodium chloride* CAS No.: 7647-14-5

12.2 Persistence and Degradability

not necessary

12.3 Bioaccumulative Potential

not necessary

12.4 Mobility in Soil

not necessary

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

12.7 Other Adverse Effects

no additional data available



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 744402.1

NucleoMag 384 Plant (1x384)

Page: 15/17

Printing Date: 04.04.2023

Date of Issue: 17.01.2023

Version: 2.2.4.7

SECTION 13: Disposal Considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (RCRA Code D002/D003, EU waste code number 16 05 06).

13.1 Waste Treatment Methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport Information

14.1. UN/NA: 1993 **14.2. Proper Shipping Name:** Flammable liquid, n.o.s. (2-propanol, ethanol mixture)

14.3. Hazard Class: 3 **14.4. Packing Group:** II

Transportation by Road

Classification code: F1

Limited Quantity: 1 L

Tunnel restriction code: E

Excepted Quantity: E 2

Special instructions: 640C

Air Transportation

Limited Quantity: LQ 4

Excepted Quantity: E 2

PAX: 353

max. weight PAX: 5 L

CAO: 364

max. weight CAO: 60 L

Maritime Transport

EmS: F-E, S-E

Storage Category: B

14.5 Environmental Hazards

none, contains only small quantities of hazardous substances

14.6 Special Precautions for User

not necessary

14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

<https://www.osha.gov/dsg/hazcom/ghs.html>

29 CFR 1910.1200 Hazard communication.

NIOSH Pocket Guide to Chemical Hazards

NIOSH Workplace Safety & Health Topics

TSCA Inventory

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

Canada

Canada CEPA 1999 - Domestic Substances List (DSL), List of Toxic Substances (Schedule 1)

MN Leaflet/User manual, also see www.mn-net.com

15.2 Chemical Safety Assessment

not necessary for these small amounts

SECTION 16: Other Information

16.1 Changes compared to the last version

Between versions 2.2.4.7 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 5 substance data corrected

16.2 List of Hazard and Precaution Phrases

16.2.1 List of relevant H Phrases

H225

Highly flammable liquid and vapor.

H226

Flammable liquid and vapor.

H302

Harmful if swallowed.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 16/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H336 May cause drowsiness or dizziness.

16.2.2 List of relevant P Phrases

- P261sh Avoid breathing dust/vapors.
- P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.3 Recommended Restriction on Use

Only for Professional User.
 Look about employee restrictions for young people!
 Look about employee restrictions for pregnant women and nursing women!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of Key Data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU
 2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU
 2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxygen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

| | | |
|---------------------------|-----------------------------|------------------|
| REF: 744402.1 | NucleoMag 384 Plant (1x384) | Page: 17/17 |
| Printing Date: 04.04.2023 | Date of Issue: 17.01.2023 | Version: 2.2.4.7 |

| | |
|-----------------------|--|
| dog: | dog |
| EC10: | Concentration causing a toxic effect in 10% of the test organisms |
| EC: | European Community |
| EC-Nr: | Substance number of the EC substance inventory |
| EmS: | Guide to accident management measures on ships |
| EU: | European Union |
| fish: | fish (not specified) |
| GHS: | Global Harmonized System of Classification and Labeling of Chemicals |
| gpg: | guinea pig |
| ICAO: | International Civil Aviation Organization |
| ihl: | inhaled |
| IMDG: | International Maritime Dangerous Goods Code |
| intrav: | intravenous |
| ipt: | intraperitoneal |
| ISHL: | Industrial Safety and Health Law (Jp) |
| LC50: | letale concentration 50% |
| LD50: | letale dosis 50% |
| leuciscus idus: | fisch, ide, orfe |
| MAK: | maximum workplace concentration |
| Met: | Metall |
| mus: | mouse |
| Muta: | mutagen |
| NIOSH: | National Institute for Occupational Safety and Health (US) |
| NRD: | Non-rapidly degradable |
| onchorhynchus mykiss: | fish, rainbow trout |
| ori: | oral |
| OSHA: | Occupational Safety and Health Administration |
| PAX: | transport on passenger planes allowed |
| PBT: | persistent, bioaccumulating, toxic substance |
| pH: | pH value |
| pimephales promelas: | fish, fathead minnow |
| PNEC: | Predicted No Effect Concentration |
| PROC 15: | Process category 'for laboratory use' |
| PRTR: | Law for PRTR and Promotion of Chemical Management (Jp) |
| PVC: | polyvinyl chloride |
| quail: | bird, quail |
| rat: | rat |
| rbt: | rabbit |
| RD: | rapidly degradable |
| RE: | repeated |
| REACH: | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| REF: | item number, reference number |
| Reg.No.: | rRegistration number |
| Repr: | harmful to reproduction |
| Resp: | respiratory |
| scu: | sub cutan |
| RIP: | REACH Implementations Projects |
| SDS: | safety data sheet |
| Sens: | sensitisation |
| STEL: | short term exposure limit |
| STOT: | Specific Target Organ Toxicity |
| SVHC: | Substance of Very High Concern |
| t/a: | tons per year |
| TCCA: | Toxic Chemicals Control Act (S. Korea) |
| Tox: | toxic |
| TSCA: | The Toxic Substances Control Act (US) |
| TWA: | time weighted average |
| TRGS: | technical regulations (DE) |
| vPvB: | very persistent, very bioaccumulating substance |

16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com