

Safety Data Sheet

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 2023-12-30 **Revision Number** 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code ST0302

Product Name His60 Ni Superflow Cartridge

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For research use only. Not for use in diagnostic procedures

No information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

USA:

Takara Bio USA, Inc. 2560 Orchard Parkway San Jose, CA 95131, USA Phone: 800.662.2566/888.251.6618

Web: www.takarabio.com

Europe:

Takara Bio Europe S.A.S. 34. Rue de la Croix de Fer 78100 Saint-Germain-en-Laye, France

Phone: +33.1.39.04.68.80 Web: www.takarabio.com

Europe:

Takara Bio Europe AB Arvid Wallgrens Backe 20, SE-413 46 Göteborg, Sweden Phone: +46.31.758.09.00

Web: www.takarabio.com

India:

DSS Takara Bio India Pvt. Ltd. A-5 Mohan Co-operative Industrial Estate, Mathura Road,

New Delhi 110044, India

Phone: +91.1800.212.4922 (Toll free)

Web: www.takarabio.com

For further information, please contact:

1.4. Emergency telephone number

Emergency telephone In case of emergency, call PERS (Professional Emergency Resource Services)

1-800-633-8253 (US) or 801-629-0667 (international).

Marco Marano Italy

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma, Piazza Sant'Onofrio,4 00165
0668593726

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Chronic aquatic toxicity Category 3 - (H412)

2.2. Label elements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	`	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethanol 64-17-5	10 - 20	No data available	200-578-6 (603-002-00-5)	Flam. Liq. 2 (H225)	-	-	-
Nickel 7440-02-0	< 0.1	No data available	231-111-4 (028-002-00-7)	Skin Sens. 1 (H317) Carc. 2 (H351) STOT RE 1 (H372)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
Ethanol 64-17-5	7060	No data available	116.9 133.8	No data available	No data available
Nickel 7440-02-0	9000	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethanol	-	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 mg/m ³	TWA: 1000 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1907 mg/m ³		TWA: 1900 mg/m ³
		STEL 2000 ppm			
		STEL 3800 mg/m ³			
Nickel	-	Sa+	TWA: 1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.5 mg/m ³
7440-02-0		Sh+			Skin Sensitisation
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Ethanol	-	TWA: 1000 mg/m ³	TWA: 1000 ppm	TWA: 500 ppm	TWA: 1000 ppm
64-17-5		Ceiling: 3000 mg/m ³	TWA: 1900 mg/m ³	TWA: 1000 mg/m ³	TWA: 1900 mg/m ³
			STEL: 2000 ppm	STEL: 1000 ppm	STEL: 1300 ppm
			STEL: 3800 mg/m ³	STEL: 1900 mg/m ³	STEL: 2500 mg/m ³
Nickel	-	TWA: 0.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.01 mg/m ³
7440-02-0		S+	STEL: 0.1 mg/m ³	S+	
		Ceiling: 1 mg/m ³			
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Ethanol	TWA: 1000 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 1000 ppm	TWA: 1000 ppm
64-17-5	TWA: 1900 mg/m ³	TWA: 380 mg/m ³	TWA: 380 mg/m ³	TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
	STEL: 5000 ppm		Peak: 800 ppm		STEL: 2000 ppm
	STEL: 9500 mg/m ³		Peak: 1520 mg/m ³		STEL: 3800 mg/m ³
Nickel	TWA: 1 mg/m ³	TWA: 0.03 mg/m ³	respiratory and skin	TWA: 1 mg/m ³	TWA: 0.01 mg/m ³
7440-02-0		TWA: 0.006 mg/m ³	sensitizer inhalable		SZ+

			Sh+	fraction, respiratory sensitization confirmed for water soluble Nickel compounds only			
Chemical name		Ireland	Italy MDLPS	Italy AIDII		atvia	Lithuania
Ethanol	STE	L: 1000 ppm	-	STEL: 1000 ppm	TWA: 1	000 mg/m ³	TWA: 500 ppm
64-17-5				STEL: 1884 mg/m ³			TWA: 1000 mg/m ³
							STEL: 1000 ppm
							STEL: 1900 mg/m ³
Nickel		1: 0.5 mg/m ³	-	TWA: 1.5 mg/m ³	TWA: 0	.05 mg/m ³	TWA: 0.5 mg/m ³
7440-02-0	STE	L: 1.5 mg/m ³					J+
		Sens+					
Chemical name	Lu	xembourg	Malta	Netherlands		rway	Poland
Ethanol		-	-	TWA: 137 ppm		500 ppm	TWA: 1900 mg/m ³
64-17-5				TWA: 260 mg/m ³		950 mg/m ³	
				STEL: 1000 ppm		625 ppm	
					STEL: 11	87.5 mg/m ³	
NESTEEL				Sk*	T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	05/ 2	TMA - 0.05/2
Nickel		-	-	-		.05 mg/m ³	TWA: 0.25 mg/m ³
7440-02-0).15 mg/m ³	
Ob		D - nt	D	Olavakia		A+	0
Chemical name		Portugal	Romania	Slovakia		ovenia	Spain
Ethanol 64-17-5	SIE	L: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³		960 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³
04-17-5			STEL: 5000 ppm	Ceiling: 1920 mg/m ³		500 ppm 1000 ppm	STEL. 1910 IIIg/III°
			STEL: 5000 ppm STEL: 9500 mg/m ³			920 mg/m ³	
Nickel	T\\//	A: 1.5 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.5 mg/m ³		006 mg/m ³	TWA: 1 mg/m ³
7440-02-0	1 007-	A. 1.5 mg/m²	STEL: 0.5 mg/m ³	STEL: 0.05 mg/m ³		.048 mg/m ³	Sen+
7440-02-0			STEE. 0.5 mg/m²	S+	OILL. U	.040 mg/m²	Jent
Chemical name		Sı	weden	Switzerland		Uni	ted Kingdom
Ethanol			500 ppm	TWA: 500 ppm)		A: 1000 ppm
64-17-5	NGV: 1000 m			TWA: 960 mg/n			n: 1920 mg/m ³
]	Vägledande KGV:			STEL: 1000 ppm			EL: 3000 ppm
		Vägledande KGV: 1000 ppm Vägledande KGV: 1900 mg/m³		STEL: 1920 mg/m ³			_: 5760 mg/m ³
Nickel			0.5 mg/m ³	TWA: 0.5 mg/m			A: 0.5 mg/m ³
7440-02-0			S+	S+			L: 1.5 mg/m ³
							Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Nickel	-	Check	45 μg/L - urine	10 μg/L - plasma	0.077 µmol/mmol
7440-02-0		7 μg/L (urine -	(Nickel) - after	(Nickel) - at the end	Creatinine (urine -
		spontaneous urine	several work shifts		Nickel discretionary)
		after end of work			0.04 mg/g Creatinine
		day, at the end of a		urine (Nickel) - at the	
		work week/end of		end of the work shift	discretionary)
		the shift)			
		(-)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Nickel	-	0.1 µmol/L (urine -	-	3 μg/L - BAR (for	-
7440-02-0		Nickel after the shift		long-term	
		after a working week		exposures: at the	
		or exposure period)		end of the shift after	
				several shifts) urine	
				15 µg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	

			30 µg/L - (long exposure: at the of the shift af several shifts) - 45 µg/L - (long exposure: at the of the shift af several shifts) -	e end fter urine -term e end fter urine
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Nickel 7440-02-0	0.003 mg/L (urine - Nickel at end of workweek, end of shift) 0.051 µmol/L (urine - Nickel at end of workweek, end of shift)	3 µg/L (urine - Nickel after several consecutive working shifts)	-	-
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Nickel 7440-02-0	3 μg/L - urine (Nickel) -	-	3 μg/L - urine (Nickel) - end of shift	0.03 mg/L (blood - Nickel end of exposure or work shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Nickel 7440-02-0	-	-	45 μg/L (urine - Nickel end of shift, and after several shifts (for long-term exposures)) 766.6 nmol/L (urine - Nickel end of shift, and after several shifts (for long-term exposures))	-

Derived No Effect Level (DNEL)
Predicted No Effect Concentration

No information available. No information available.

(PNEC)

8.2. Exposure controls

Personal Protective Equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Slurry

Color No information available

Odor Alcohol.

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available None known Boiling point/boiling range (°C) No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Flammability Limit in Air

Upper flammability limit:

No data available

Lower flammability limit:

No data available

Flash pointNo data availableOpen cupAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pHNo data availableNone knownpH (as aqueous solution)No data availableNo information available

No data available Kinematic viscosity None known None known **Dynamic Viscosity** No data available Water solubility No data available None known Solubility in other solvents No data available None known Partition coefficient No data available None known Vapor pressure No data available None known None known

Relative density

No data available

None k

Bulk Density

No data available

No data available

No data available

No data available

Vapor densityNo data availableNone known

Particle characteristics
Particle Size
Particle Size Distribution
No information available
No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 99,999.00 mg/kg ATEmix (inhalation-dust/mist) 99,999.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
			= 133.8 mg/L (Rat) 4 h
Nickel	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Nickel	Carc. 2	

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	<u>-</u>	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Nickel	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	, , ,	-	EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	
Ethanol	-0.35	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Ethanol	The substance is not PBT / vPvB
Nickel	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name No information available

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name No information available

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name No information available

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards

Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name No information available

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethanol	RG 84	-
64-17-5		

Germany

TA Luft (German Air Pollution Control Regulation)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Ethanol	Present	-	Fertility Category 1A Development Category 1A Can be harmful via
			breastfeeding

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Nickel - 7440-02-0	27.	-
	75.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)

Ethanol - 64-17-5	Product-type 1: Human hygiene Product-type 2:
Linarior - 04-17-5	
	Disinfectants and algaecides not intended for direct
	application to humans or animals Product-type 4: Food and
	feed area

EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Nickel - 7440-02-0	Priority substance

EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Nickel - 7440-02-0	Priority substance

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Assessment No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA Time weighted average STEL Short term exposure limit Ceiling Maximum limit value * Skin designation * Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method

A suite inhelation tovisity, and	Coloulation mathead
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 2023-12-30

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet